

## Value sheet of Mindray BS Measurement System

Русский: Таблица результатов для системы BS компании Mindray

Português: Planilha de valores do Sistema de Medição BS da Mindray

Español: Hoja de valores del sistema de medición Mindray BS

Italiano: Scheda dei valori del sistema di misurazione BS di Mindray

Türkçe: Mindray BS Ölçüm Sistemi'nin değer sayfası



The data of each group is same.

Русский: Данные совпадают во всех группах.

Português: A dados de cada grupo é a mesma.

Español: la datos de cada grupo es la misma.

Italiano: la dati di ogni gruppo è la stessa.

Türkçe: her grubun veri aynıdır.

1.BS-120: BS-120, BS-130, BS-180, BS-190;

10.BS-400: BS-400, BS-420;

2.BS-200: BS-200, BS-220, BS-330, BS-350;

11.BS-430: BS-430, BS-450,BS-460;

3.BS-200E: BS-200E, BS-220E,;

12.BS-480: BS-480, BS-490;

4.BS-240: BS-230, BS-240;

13.BS-600: BS-600, BS-620;

5.BS-240E: BS240E, BS240Pro;

14.BS-600M: BS-600M, BS-620M;

6.BS-300: BS-300, BS-320;

15.BS-800: BS-800, BS-820, BS-800M, BS-820M, BS-1800,

7.BS-330E:BS-330E(Serial Number starts with "XQ-"), BS-350E(Serial Number starts with "XS-")

BS-1800plus;

8.BS-360E: BS-360E, BS-370E, BS-350S, BS-360S, BS-

330E(V35.00)(Serial Number starts with "W8-" and software version starts with "35.00"), BS-350E(V35.00) (Serial Number starts with "W9-" and software version starts with "35.00");

16.BS-2000: BS-2000, BS-2200, BS-2000M, BS-2200M;

17.BS-2800M:BS-2600M, BS-2800M;

9.BS-380: BS-380, BS-390;

18.Applicable models of the chemistry shall be subject to the parameter list and instructions.

LOT : 150724002



: 2025-07-28

English	Abbreviated name	Calibration Rule	Model	Level
Русский	сокращенное наименование	Принцип калибровки	модель	Уровень
Português	Nome abreviado	Regra de calibração	Modelo	Nível
Español	nombre abreviado	Regla de calibración	modelo	Nivel
Italiano	abbreviazione	Regola di calibrazione	modelli	Livello
Türkçe	kısaltılmış ad	Kalibrasyon Kuralı	model	Düzey

English	Calibration Value	Expanded Uncertainty
Русский	Эталонное значение	Расширенная неопределенность
Português	Valor de calibração	Incerteza Expandida
Español	Valor de calibración	Incertidumbre expandida
Italiano	Valore di calibrazione	Incertezza estesa
Türkçe	Kalibrasyon Değeri	Daha Uzun Süreli Belirsizlik

English	Sample Vol for Dilution	Diluent Vol	Sample Vol For Analysis
Русский	Объем пробы для разбавления	Объем разбавителя	Объем пробы для анализа
Português	Volume da amostra para diluição	Volume de diluente	Volume da amostra para análise
Español	Vol. muestra para dilución	Vol. diluyente	Vol. muestra para análisis
Italiano	Vol. campione per la diluizione	Vol. diluente	Vol. campione per analisi
Türkçe	Dilüsyon için Numune Hacmi	Seyreltici Hacmi	Analiz için Numune Hacmi

	C3	C4	CRP
English	Complement C3	Complement C4	C- Reactive protein
Русский	Комплемент C3	Комплемент C4	C-реактивный белок
Português	complemento C3	complemento C4	proteína C-reativa
Español	complemento C3	complemento C4	proteína C reactiva
Italiano	complemento C3	complemento C4	proteina C-reattiva
Türkçe	Kompleman C3	Kompleman C4	C-Reaktif proteini

		IgA	IgG	IgM		
<b>English</b>		Immunoglobulin A	Immunoglobulin G	Immunoglobulin M		
<b>Русский</b>		Иммуноглобулин А	Иммуноглобулин G	Иммуноглобулин M		
<b>Português</b>		Imunoglobulina A	Imunoglobulina G	Imunoglobulina M		
<b>Español</b>		Inmunoglobulina A	Inmunoglobulina G	Inmunoglobulina M		
<b>Italiano</b>		Immunoglobulina A	Immunoglobulina G	Immunoglobulina M		
<b>Türkçe</b>		İmmünoglobulin A	İmmünoglobulin G	İmmünoglobulin M		
Abbreviated name		C3	Calibration Rule	Logit-Log(5P)		
Model	Level	Calibrator Value	Expanded Uncertainty	Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	g/L			
<b>BS-120<sup>1</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.014	20	180	3
	<b>S3</b>	0.570	0.03	8	194	20
	<b>S4</b>	1.10	0.06	10	230	40
	<b>S5</b>	1.68	0.09	45	180	12
	<b>S6</b>	3.40	0.19	/	/	4
<b>BS-200<sup>2</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.016	20	180	3
	<b>S3</b>	0.630	0.04	8	194	20
	<b>S4</b>	1.09	0.07	10	230	40
	<b>S5</b>	1.69	0.11	45	180	12
	<b>S6</b>	3.40	0.21	/	/	4
<b>BS-200E<sup>3</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.013	15	135	3
	<b>S3</b>	0.640	0.03	45	135	3
	<b>S4</b>	1.18	0.06	45	135	6
	<b>S5</b>	1.78	0.09	35	140	12
	<b>S6</b>	3.40	0.17	/	/	4
<b>BS-300<sup>6</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.015	20	180	3
	<b>S3</b>	0.660	0.04	8	194	20
	<b>S4</b>	1.15	0.07	10	230	40
	<b>S5</b>	1.88	0.11	45	180	12
	<b>S6</b>	3.40	0.20	/	/	4
<b>BS-330E<sup>7</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.013	15	135	3
	<b>S3</b>	0.640	0.03	45	135	3
	<b>S4</b>	1.18	0.06	45	135	6
	<b>S5</b>	1.78	0.09	35	140	12
	<b>S6</b>	3.40	0.17	/	/	4
<b>BS-360E<sup>8</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.013	13	117	3
	<b>S3</b>	0.640	0.03	34	102	3
	<b>S4</b>	1.18	0.06	34	102	6
	<b>S5</b>	1.78	0.09	25	100	12
	<b>S6</b>	3.40	0.17	/	/	4
<b>BS-380<sup>9</sup></b>	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.016	14	126	3
	<b>S3</b>	0.640	0.04	40	120	3
	<b>S4</b>	1.18	0.07	40	120	6
	<b>S5</b>	1.78	0.11	30	120	12
	<b>S6</b>	3.40	0.22	/	/	4
	<b>0.9%NaCl</b>	0.000	/	/	/	/
	<b>S2</b>	0.260	0.014	14	126	3

# Specific Proteins Calibrator



BS-400 <sup>10</sup>	S3	0.640	0.04	40	120	3	
	S4	1.18	0.07	40	120	6	
	S5	1.78	0.10	30	120	12	
	S6	3.40	0.19	/	/	4	
Abbreviated name		C3		Calibration Rule		Logit-Log(5P)	
Model	Level	Calibrator Value	Expanded Uncertainty	Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)	
		g/L	g/L				
BS-240 <sup>4</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.014	2.1	14	126	
	S3	0.570	0.03	14	8	194	
	S4	1.10	0.06	28	7	161	
	S5	1.68	0.09	8.4	30	120	
	S6	3.40	0.19	2.8	/	/	
BS-240E <sup>5</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.013	2.1	13	117	
	S3	0.640	0.03	2.1	34	102	
	S4	1.18	0.06	4.2	34	102	
	S5	1.78	0.09	8.4	25	100	
	S6	3.40	0.17	2.8	/	/	
BS-430 <sup>11</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.013	2.1	11	99	
	S3	0.640	0.03	2.1	30	90	
	S4	1.18	0.06	4.2	30	90	
	S5	1.78	0.09	8.4	25	100	
	S6	3.40	0.17	2.8	/	/	
BS-480 <sup>12</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.015	3	14	126	
	S3	0.640	0.04	3	40	120	
	S4	1.18	0.07	6	40	120	
	S5	1.78	0.11	12	30	120	
	S6	3.40	0.20	4	/	/	
BS-600 <sup>13</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.015	2.1	11	99	
	S3	0.640	0.04	2.1	30	90	
	S4	1.18	0.07	4.2	30	90	
	S5	1.78	0.11	8.4	25	100	
	S6	3.40	0.20	2.8	/	/	
BS-600M <sup>14</sup>	0.9%NaCl	0.000	/	/	/	/	
	S2	0.270	0.014	2.1	10	90	
	S3	0.670	0.03	2.1	25	75	
	S4	1.29	0.06	4.2	25	75	
	S5	1.95	0.10	8.4	25	100	
	S6	3.40	0.17	2.8	/	/	
BS-800 <sup>15</sup> (R1:R2 :S=200:100:3)	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.013	3	10	90	
	S3	0.640	0.03	3	30	90	
	S4	1.18	0.06	6	30	90	
	S5	1.78	0.09	12	25	100	
	S6	3.40	0.17	4	/	/	
BS-800 <sup>15</sup> (R1:R2 :S=140:70:2.1)	0.9%NaCl	0.000	/	/	/	/	
	S2	0.260	0.013	2.1	10	90	
	S3	0.640	0.03	2.1	30	90	
	S4	1.18	0.06	4.2	30	90	
	S5	1.78	0.09	8.4	25	100	
	S6	3.40	0.17	2.8	/	/	

# Specific Proteins Calibrator



BS-2000 <sup>16</sup>	0.9%NaCl	0.000	/	/	/	/	/	
	S2	0.270	0.014	2.1	10	90		
	S3	0.660	0.03	2.1	25	75		
	S4	1.22	0.06	4.2	25	75		
	S5	1.83	0.09	8.4	25	100		
	S6	3.34	0.17	2.8	/	/		
BS-2800M <sup>17</sup>	0.9%NaCl	0.000	/	/	/	/	/	
	S2	0.270	0.014	2.1	10	90		
	S3	0.670	0.03	2.1	25	75		
	S4	1.28	0.06	4.2	25	75		
	S5	1.98	0.10	8.4	25	100		
	S6	3.48	0.17	2.8	/	/		
Abbreviated name		C4		Calibration Rule			spline	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-120 <sup>1</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.111	0.555	0.007	0.04	15	180	10
	S3	0.211	1.06	0.014	0.07	35	195	10
	S4	0.433	2.17	0.029	0.14	/	/	3
	S5	0.480	2.40	0.03	0.16	/	/	3.5
	S6	0.800	4.00	0.05	0.27	/	/	6.5
BS-200 <sup>2</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.113	0.565	0.006	0.03	15	180	10
	S3	0.211	1.06	0.012	0.06	35	195	10
	S4	0.415	2.08	0.023	0.11	/	/	3
	S5	0.473	2.37	0.026	0.13	/	/	3.5
	S6	0.840	4.20	0.05	0.23	/	/	6.5
BS-200E <sup>3</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.116	0.580	0.006	0.029	45	135	3
	S3	0.221	1.11	0.011	0.05	45	135	6
	S4	0.448	2.24	0.022	0.11	/	/	3
	S5	0.509	2.55	0.025	0.13	/	/	3.5
	S6	0.888	4.44	0.04	0.22	/	/	6.5
BS-300 <sup>6</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.116	0.580	0.006	0.03	15	180	10
	S3	0.221	1.11	0.012	0.06	35	195	10
	S4	0.448	2.24	0.025	0.12	/	/	3
	S5	0.509	2.55	0.028	0.14	/	/	3.5
	S6	0.888	4.44	0.05	0.24	/	/	6.5
BS-330E <sup>7</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.116	0.580	0.006	0.029	45	135	3
	S3	0.221	1.11	0.011	0.05	45	135	6
	S4	0.448	2.24	0.022	0.11	/	/	3
	S5	0.509	2.55	0.025	0.13	/	/	3.5
	S6	0.888	4.44	0.04	0.22	/	/	6.5
BS-360E <sup>8</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.115	0.575	0.006	0.028	34	102	3
	S3	0.221	1.11	0.011	0.05	34	102	6
	S4	0.444	2.22	0.022	0.11	/	/	3
	S5	0.493	2.47	0.024	0.12	/	/	3.5
	S6	0.850	4.25	0.04	0.21	/	/	6.5
BS-380 <sup>9</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.116	0.580	0.009	0.05	40	120	3
	S3	0.221	1.11	0.018	0.09	40	120	6
	S4	0.448	2.24	0.04	0.18	/	/	3

# Specific Proteins Calibrator



	<b>S5</b>	0.509	2.55	0.04	0.20	/	/	3.5
	<b>S6</b>	0.888	4.44	0.07	0.4	/	/	6.5
<b>BS-400<sup>10</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.116	0.580	0.006	0.03	40	120	3
	<b>S3</b>	0.221	1.11	0.012	0.06	40	120	6
	<b>S4</b>	0.448	2.24	0.025	0.12	/	/	3
	<b>S5</b>	0.509	2.55	0.028	0.14	/	/	3.5
	<b>S6</b>	0.888	4.44	0.05	0.25	/	/	6.5
	<b>Abbreviated name</b>		<b>C4</b>		<b>Calibration Rule</b>			<b>spline</b>
<b>Model</b>	<b>Level</b>	<b>Calibrator Value</b>		<b>Expanded Uncertainty</b>		<b>Dilution Vol For Analysis(μL)</b>	<b>Sample Vol For Dilution(μL)</b>	<b>Dilution Vol (μL)</b>
		<b>g/L</b>	<b>μmol/L</b>	<b>g/L</b>	<b>μmol/L</b>			
<b>BS-240<sup>4</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.111	0.555	0.007	0.04	8	12	144
	<b>S3</b>	0.211	1.06	0.014	0.07	8	28	156
	<b>S4</b>	0.433	2.17	0.029	0.15	2.4	/	/
	<b>S5</b>	0.480	2.40	0.03	0.16	2.8	/	/
	<b>S6</b>	0.800	4.00	0.05	0.27	5.2	/	/
	<b>BS-240E<sup>5</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
<b>S2</b>		0.119	0.595	0.006	0.029	2.4	34	102
<b>S3</b>		0.222	1.11	0.011	0.05	4.8	34	102
<b>S4</b>		0.444	2.22	0.022	0.11	2.4	/	/
<b>S5</b>		0.496	2.48	0.024	0.12	2.8	/	/
<b>S6</b>		0.850	4.25	0.04	0.21	5.2	/	/
<b>BS-430<sup>11</sup></b>		<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
	<b>S2</b>	0.116	0.580	0.006	0.029	3	30	90
	<b>S3</b>	0.221	1.11	0.011	0.05	6	30	90
	<b>S4</b>	0.448	2.24	0.022	0.11	3	/	/
	<b>S5</b>	0.509	2.55	0.025	0.13	3.5	/	/
	<b>S6</b>	0.888	4.44	0.04	0.22	6.5	/	/
	<b>BS-480<sup>12</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
<b>S2</b>		0.116	0.580	0.006	0.03	3	40	120
<b>S3</b>		0.221	1.11	0.012	0.06	6	40	120
<b>S4</b>		0.448	2.24	0.025	0.12	3	/	/
<b>S5</b>		0.509	2.55	0.028	0.14	3.5	/	/
<b>S6</b>		0.888	4.44	0.05	0.25	6.5	/	/
<b>BS-600<sup>13</sup></b>		<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
	<b>S2</b>	0.116	0.580	0.006	0.03	3	30	90
	<b>S3</b>	0.221	1.11	0.012	0.06	6	30	90
	<b>S4</b>	0.448	2.24	0.025	0.12	3	/	/
	<b>S5</b>	0.509	2.55	0.028	0.14	3.5	/	/
	<b>S6</b>	0.888	4.44	0.05	0.25	6.5	/	/
	<b>BS-600M<sup>14</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
<b>S2</b>		0.119	0.595	0.006	0.029	2.4	25	75
<b>S3</b>		0.235	1.18	0.012	0.06	4.8	25	75
<b>S4</b>		0.447	2.24	0.022	0.11	2.4	/	/
<b>S5</b>		0.512	2.56	0.025	0.13	2.8	/	/
<b>S6</b>		0.900	4.50	0.04	0.22	5.2	/	/
<b>BS-800<sup>15</sup>(R1:R2 :S=200:75:3 )</b>		<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/
	<b>S2</b>	0.116	0.580	0.006	0.029	3	30	90
	<b>S3</b>	0.221	1.11	0.011	0.05	6	30	90
	<b>S4</b>	0.448	2.24	0.022	0.11	3	/	/
	<b>S5</b>	0.509	2.55	0.025	0.13	3.5	/	/
	<b>S6</b>	0.888	4.44	0.04	0.22	6.5	/	/
	<b>S2</b>	0.116	0.580	0.006	0.029	2.4	30	90

<b>BS-800<sup>15</sup></b> (R1:R2:S=160:60:2.4)	<b>S3</b>	0.221	1.11	0.011	0.05	4.8	30	90
	<b>S4</b>	0.448	2.24	0.022	0.11	2.4	/	/
	<b>S5</b>	0.509	2.55	0.025	0.13	2.8	/	/
	<b>S6</b>	0.888	4.44	0.04	0.22	5.2	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
<b>BS-2000<sup>16</sup></b> (R1:R2:S=200:75:3)	<b>S2</b>	0.117	0.585	0.006	0.029	3	25	75
	<b>S3</b>	0.227	1.14	0.011	0.06	6	25	75
	<b>S4</b>	0.433	2.17	0.021	0.11	3	/	/
	<b>S5</b>	0.493	2.47	0.024	0.12	3.5	/	/
	<b>S6</b>	0.898	4.49	0.04	0.22	6.5	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
<b>BS-2000<sup>16</sup></b> (R1:R2:S=160:60:2.4)	<b>S2</b>	0.117	0.585	0.006	0.029	2.4	25	75
	<b>S3</b>	0.227	1.14	0.011	0.06	4.8	25	75
	<b>S4</b>	0.433	2.17	0.021	0.11	2.4	/	/
	<b>S5</b>	0.493	2.47	0.024	0.12	2.8	/	/
	<b>S6</b>	0.898	4.49	0.04	0.22	5.2	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
<b>BS-2800M<sup>17</sup></b>	<b>S2</b>	0.121	0.605	0.006	0.03	2.4	25	75
	<b>S3</b>	0.239	1.20	0.012	0.06	4.8	25	75
	<b>S4</b>	0.448	2.24	0.022	0.11	2.4	/	/
	<b>S5</b>	0.515	2.58	0.025	0.13	2.8	/	/
	<b>S6</b>	0.915	4.58	0.05	0.23	5.2	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
Abbreviated name		CRP II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		mg/L	nmol/L	mg/L	nmol/L			
<b>BS-120<sup>1</sup></b>	<b>0.9%NaCl</b>	0.0	0	/	/	/	/	/
	<b>S2</b>	10.8	103	1.0	9	20	180	8
	<b>S3</b>	34.2	326	3	29	40	160	16
	<b>S4</b>	89.4	851	8	77	/	/	8
	<b>S5</b>	150	1428	14	129	/	/	14
	<b>S6</b>	286	2723	26	246	/	/	28
<b>BS-200<sup>2</sup></b>	<b>0.9%NaCl</b>	0.0	0	/	/	/	/	/
	<b>S2</b>	10.8	103	0.9	9	20	180	8
	<b>S3</b>	32.6	310	2.7	26	40	160	16
	<b>S4</b>	86.8	826	7	68	/	/	8
	<b>S5</b>	142	1352	12	112	/	/	14
	<b>S6</b>	286	2723	24	225	/	/	28
<b>BS-200E<sup>3</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	9.70	92.3	0.7	6	15	135	10.4
	<b>S3</b>	33.9	323	2.3	22	30	120	20.8
	<b>S4</b>	89.4	851	6	57	/	/	10.4
	<b>S5</b>	150	1428	10	96	/	/	18.2
	<b>S6</b>	286	2723	19	183	/	/	36.4
<b>BS-300<sup>6</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	9.70	92.3	0.9	8	20	180	8
	<b>S3</b>	33.9	323	3	29	45	180	16
	<b>S4</b>	89.4	851	8	75	/	/	8
	<b>S5</b>	150	1428	13	126	/	/	14
	<b>S6</b>	286	2723	25	240	/	/	28
<b>BS-330E<sup>7</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	9.70	92.3	0.7	6	15	135	10.4
	<b>S3</b>	33.9	323	2.3	22	35	140	20.8
	<b>S4</b>	89.4	851	6	57	/	/	10.4
	<b>S5</b>	150	1428	10	96	/	/	18.2
	<b>S6</b>	286	2723	19	183	/	/	36.4

BS-360E <sup>8</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.7	6	13	117	8
	S3	33.9	323	2.3	22	30	120	16
	S4	89.4	851	6	57	/	/	8
	S5	150	1428	10	96	/	/	14
	S6	286	2723	19	183	/	/	28
BS-380 <sup>9</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.9	9	14	126	8
	S3	33.9	323	3	31	30	120	16
	S4	89.4	851	9	83	/	/	8
	S5	150	1428	15	139	/	/	14
	S6	286	2723	28	265	/	/	28
BS-400 <sup>10</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.8	8	14	126	8
	S3	33.9	323	2.9	28	30	120	16
	S4	89.4	851	8	74	/	/	8
	S5	150	1428	13	124	/	/	14
	S6	286	2723	25	236	/	/	28
Abbreviated name		CRP II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		mg/L	nmol/L	mg/L	nmol/L			
BS-240 <sup>4</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.9	8	6.4	16	144
	S3	33.9	323	3	29	12.8	25	100
	S4	89.4	851	8	78	6.4	/	/
	S5	150	1428	14	130	11.2	/	/
	S6	286	2723	26	249	22.4	/	/
BS-240E <sup>5</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.7	6	6.4	13	117
	S3	33.9	323	2.3	22	12.8	25	100
	S4	89.4	851	6	57	6.4	/	/
	S5	150	1428	10	96	11.2	/	/
	S6	286	2723	19	183	22.4	/	/
BS-430 <sup>11</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	8.60	81.9	0.6	5	8	11	99
	S3	32.5	309	2.2	21	16	25	100
	S4	88.0	838	6	56	8	/	/
	S5	150	1428	10	96	14	/	/
	S6	286	2723	19	183	28	/	/
BS-480 <sup>12</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	9.70	92.3	0.8	8	8	14	126
	S3	33.9	323	2.8	27	16	30	120
	S4	89.4	851	7	70	8	/	/
	S5	150	1428	12	117	14	/	/
	S6	286	2723	24	224	28	/	/
BS-600 <sup>13</sup>	0.9%NaCl	0.0	0	/	/	/	/	/
	S2	10.6	101	0.9	8	8	11	99
	S3	34.8	331	2.9	27	16	25	100
	S4	89.4	851	7	70	8	/	/
	S5	150	1428	12	117	14	/	/
	S6	286	2723	24	224	28	/	/
BS-600M <sup>14</sup>	0.9%NaCl	0.0	0.0	/	/	/	/	/
	S2	10.0	95.2	0.7	6	6.4	10	90
	S3	34.4	327	2.3	22	12.8	25	100
	S4	89.4	851	6	57	6.4	/	/

# Specific Proteins Calibrator



	<b>S5</b>	148	1409	10	95	11.2	/	/
	<b>S6</b>	286	2723	19	183	22.4	/	/
<b>BS-800<sup>15</sup>(R1:R2:S=200:50:8)</b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	9.70	92.3	0.7	6	8	10	90
	<b>S3</b>	33.9	323	2.3	22	16	25	100
	<b>S4</b>	89.4	851	6	57	8	/	/
	<b>S5</b>	150	1428	10	96	14	/	/
	<b>S6</b>	286	2723	19	183	28	/	/
<b>BS-800<sup>15</sup>(R1:R2:S=120:30:4.8)</b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	9.70	92.3	0.7	6	4.8	10	90
	<b>S3</b>	33.9	323	2.3	22	9.6	25	100
	<b>S4</b>	89.4	851	6	57	4.8	/	/
	<b>S5</b>	150	1428	10	96	8.4	/	/
	<b>S6</b>	286	2723	19	183	16.8	/	/
<b>BS-2000<sup>16</sup></b>	<b>0.9%NaCl</b>	0.0	0	/	/	/	/	/
	<b>S2</b>	10.5	100	0.7	7	4.8	10	90
	<b>S3</b>	34.8	331	2.3	22	9.6	25	100
	<b>S4</b>	88.7	844	6	57	4.8	/	/
	<b>S5</b>	148	1409	10	95	8.4	/	/
	<b>S6</b>	274	2608	18	175	16.8	/	/
Abbreviated name		IgA II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
<b>BS-200<sup>2</sup></b>	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.500	3.13	0.025	0.16	20	180	3
	<b>S3</b>	1.10	6.88	0.06	0.3	8	194	20
	<b>S4</b>	1.87	11.7	0.09	0.6	10	230	40
	<b>S5</b>	4.40	27.5	0.22	1.4	/	/	3
	<b>S6</b>	9.21	57.6	0.5	2.9	/	/	6.5
<b>BS-200E<sup>3</sup></b>	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.490	3.06	0.019	0.12	15	135	3
	<b>S3</b>	1.23	7.69	0.05	0.3	45	135	3
	<b>S4</b>	2.44	15.3	0.09	0.6	45	135	6
	<b>S5</b>	4.69	29.3	0.18	1.1	/	/	3
	<b>S6</b>	9.21	57.6	0.4	2.2	/	/	6.5
<b>BS-330E<sup>7</sup></b>	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.490	3.06	0.019	0.12	15	135	3
	<b>S3</b>	1.23	7.69	0.05	0.3	45	135	3
	<b>S4</b>	2.44	15.3	0.09	0.6	45	135	6
	<b>S5</b>	4.69	29.3	0.18	1.1	/	/	3
	<b>S6</b>	9.21	57.6	0.4	2.2	/	/	6.5
<b>BS-360E<sup>8</sup></b>	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.410	2.56	0.016	0.10	13	117	3
	<b>S3</b>	1.19	7.44	0.05	0.29	34	102	3
	<b>S4</b>	2.20	13.8	0.08	0.5	34	102	6
	<b>S5</b>	4.69	29.3	0.18	1.1	/	/	3
	<b>S6</b>	9.21	57.6	0.4	2.2	/	/	6.5
<b>BS-380<sup>9</sup></b>	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.410	2.56	0.020	0.12	14	126	3
	<b>S3</b>	1.19	7.44	0.06	0.4	40	120	3
	<b>S4</b>	2.20	13.8	0.11	0.7	40	120	6
	<b>S5</b>	4.69	29.3	0.23	1.4	/	/	3
	<b>S6</b>	9.21	57.6	0.4	2.8	/	/	6.5
	<b>0.9%NaCl</b>	0.000	0.00	/	/	/	/	/
	<b>S2</b>	0.410	2.56	0.021	0.13	14	126	3



# Specific Proteins Calibrator



BS-400 <sup>10</sup>	S3	1.19	7.44	0.06	0.4	40	120	3
	S4	2.20	13.8	0.11	0.7	40	120	6
	S5	4.69	29.3	0.24	1.5	/	/	3
	S6	9.21	57.6	0.5	2.9	/	/	6.5
Abbreviated name		IgA II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 <sup>4</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.500	3.13	0.029	0.18	2.1	13	117
	S3	1.20	7.50	0.07	0.4	2.1	34	102
	S4	2.43	15.2	0.14	0.9	4.2	34	102
	S5	4.72	29.5	0.27	1.7	2.1	/	/
	S6	9.21	57.6	0.5	3	4.5	/	/
BS-240E <sup>5</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.016	0.10	2.1	13	117
	S3	1.19	7.44	0.05	0.29	2.1	34	102
	S4	2.20	13.8	0.08	0.5	4.2	34	102
	S5	4.69	29.3	0.18	1.1	2.1	/	/
	S6	9.21	57.6	0.4	2.2	4.6	/	/
BS-430 <sup>11</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.016	0.10	2.1	11	99
	S3	1.19	7.44	0.05	0.29	2.1	30	90
	S4	2.20	13.8	0.08	0.5	4.2	30	90
	S5	4.69	29.3	0.18	1.1	2.1	/	/
	S6	9.21	57.6	0.4	2.2	4.5	/	/
BS-480 <sup>12</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.03	0.20	3	14	126
	S3	1.19	7.44	0.09	0.6	3	40	120
	S4	2.20	13.8	0.17	1.1	6	40	120
	S5	4.69	29.3	0.4	2.3	3	/	/
	S6	9.21	57.6	0.7	5	6.5	/	/
BS-600 <sup>13</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.03	0.20	2.1	11	99
	S3	1.19	7.44	0.09	0.6	2.1	30	90
	S4	2.20	13.8	0.17	1.1	4.2	30	90
	S5	4.69	29.3	0.4	2.3	2.1	/	/
	S6	9.21	57.6	0.7	5	4.5	/	/
BS-600M <sup>14</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.420	2.63	0.016	0.10	2.1	10	90
	S3	1.23	7.69	0.05	0.3	2.1	25	75
	S4	2.35	14.7	0.09	0.6	4.2	25	75
	S5	4.69	29.3	0.18	1.1	2.1	/	/
	S6	9.21	57.6	0.4	2.2	4.5	/	/
BS-800 <sup>15</sup> (R1:R2 :S=200:100:3)	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.016	0.10	3	10	90
	S3	1.19	7.44	0.05	0.29	3	30	90
	S4	2.20	13.8	0.08	0.5	6	30	90
	S5	4.69	29.3	0.18	1.1	3	/	/
	S6	9.21	57.6	0.4	2.2	6.5	/	/
BS-800 <sup>15</sup> (R1:R2 :S=140:70:2.1)	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.410	2.56	0.016	0.10	2.1	10	90
	S3	1.19	7.44	0.05	0.29	2.1	30	90
	S4	2.20	13.8	0.08	0.5	4.2	30	90
	S5	4.69	29.3	0.18	1.1	2.1	/	/
	S6	9.21	57.6	0.4	2.2	4.5	/	/

# Specific Proteins Calibrator



BS-2000 <sup>16</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.450	2.81	0.019	0.12	2.1	10	90
	S3	1.28	8.00	0.05	0.3	2.1	25	75
	S4	2.33	14.6	0.10	0.6	4.2	25	75
	S5	4.70	29.4	0.20	1.2	2.1	/	/
	S6	9.43	58.9	0.4	2.5	4.5	/	/
BS-2800M <sup>17</sup>	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.420	2.63	0.016	0.10	2.1	10	90
	S3	1.26	7.88	0.05	0.3	2.1	25	75
	S4	2.40	15.0	0.09	0.6	4.2	25	75
	S5	4.74	29.6	0.18	1.1	2.1	/	/
	S6	9.19	57.4	0.4	2.2	4.5	/	/
Abbreviated name		IgG		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-120 <sup>1</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.40	29.3	0.25	1.7	8	194	20
	S3	8.50	56.7	0.5	3	10	230	40
	S4	19.1	127	1.1	7	/	/	3
	S5	30.4	203	1.7	12	/	/	4.8
	S6	40.0	267	2.3	15	/	/	6.5
BS-200 <sup>2</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.40	29.3	0.20	1.3	8	194	20
	S3	8.50	56.7	0.4	2.5	10	230	40
	S4	19.1	127	0.9	6	/	/	3
	S5	30.4	203	1.4	9	/	/	4.8
	S6	40.0	267	1.8	12	/	/	6.5
BS-200E <sup>3</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.80	32.0	0.18	1.2	45	135	4.2
	S3	9.25	61.7	0.3	2.3	45	135	8.4
	S4	19.8	132	0.7	5	/	/	4.2
	S5	29.8	199	1.1	7	/	/	6.8
	S6	45.2	301	1.7	11	/	/	9.1
BS-300 <sup>6</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.74	31.6	0.4	2.4	8	194	20
	S3	9.18	61.2	0.7	5	10	230	40
	S4	19.1	127	1.5	10	/	/	3
	S5	30.0	200	2.3	15	/	/	4.8
	S6	45.2	301	3	23	/	/	6.5
BS-330E <sup>7</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.80	32.0	0.18	1.2	45	135	4.2
	S3	9.25	61.7	0.3	2.3	45	135	8.4
	S4	19.8	132	0.7	5	/	/	4.2
	S5	29.8	199	1.1	7	/	/	6.8
	S6	45.2	301	1.7	11	/	/	9.1
BS-360E <sup>8</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.74	31.6	0.18	1.2	34	102	3
	S3	9.18	61.2	0.3	2.3	34	102	6
	S4	19.1	127	0.7	5	/	/	3
	S5	30.0	200	1.1	7	/	/	4.8
	S6	45.2	301	1.7	11	/	/	6.5
BS-380 <sup>9</sup>	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.80	32.0	0.22	1.5	40	120	3
	S3	9.25	61.7	0.4	2.9	40	120	6
	S4	19.8	132	0.9	6	/	/	3

# Specific Proteins Calibrator



	<b>S5</b>	29.8	199	1.4	9	/	/	4.8
	<b>S6</b>	45.2	301	2.1	14	/	/	6.5
<b>BS-400<sup>10</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	4.80	32.0	0.21	1.4	40	120	3
	<b>S3</b>	9.25	61.7	0.4	2.7	40	120	6
	<b>S4</b>	19.8	132	0.9	6	/	/	3
	<b>S5</b>	29.8	199	1.3	9	/	/	4.8
	<b>S6</b>	45.2	301	2.0	13	/	/	6.5
	<b>Abbreviated name</b>		<b>IgG</b>		<b>Calibration Rule</b>			<b>Logit-Log(5P)</b>
<b>Model</b>	<b>Level</b>	<b>Calibrator Value</b>		<b>Expanded Uncertainty</b>		<b>Dilution Vol For Analysis(μL)</b>	<b>Sample Vol For Dilution(μL)</b>	<b>Dilution Vol (μL)</b>
		<b>g/L</b>	<b>μmol/L</b>	<b>g/L</b>	<b>μmol/L</b>			
<b>BS-240<sup>4</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	4.20	28.0	0.24	1.6	14	8	194
	<b>S3</b>	8.50	56.7	0.5	3	28	7	161
	<b>S4</b>	19.0	127	1.1	7	2.1	/	/
	<b>S5</b>	28.2	188	1.6	11	3.4	/	/
	<b>S6</b>	45.2	301	2.6	17	4.6	/	/
	<b>BS-240E<sup>5</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
<b>S2</b>		4.74	31.6	0.18	1.2	2.1	34	102
<b>S3</b>		9.18	61.2	0.3	2.3	4.2	34	102
<b>S4</b>		19.1	127	0.7	5	2.1	/	/
<b>S5</b>		30.0	200	1.1	7	3.4	/	/
<b>S6</b>		45.2	301	1.7	11	4.5	/	/
<b>BS-430<sup>11</sup></b>		<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
	<b>S2</b>	4.83	32.2	0.18	1.2	2.1	30	90
	<b>S3</b>	9.40	62.7	0.3	2.3	4.2	30	90
	<b>S4</b>	19.7	131	0.7	5	2.1	/	/
	<b>S5</b>	30.6	204	1.1	8	3.4	/	/
	<b>S6</b>	45.2	301	1.7	11	4.5	/	/
	<b>BS-480<sup>12</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
<b>S2</b>		4.74	31.6	0.27	1.8	3	40	120
<b>S3</b>		9.18	61.2	0.5	3	6	40	120
<b>S4</b>		19.1	127	1.1	7	3	/	/
<b>S5</b>		30.0	200	1.7	11	4.8	/	/
<b>S6</b>		45.2	301	2.5	17	6.5	/	/
<b>BS-600<sup>13</sup></b>		<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
	<b>S2</b>	4.74	31.6	0.27	1.8	2.1	30	90
	<b>S3</b>	9.18	61.2	0.5	3	4.2	30	90
	<b>S4</b>	19.1	127	1.1	7	2.1	/	/
	<b>S5</b>	30.0	200	1.7	11	3.4	/	/
	<b>S6</b>	45.2	301	2.5	17	4.5	/	/
	<b>BS-600M<sup>14</sup></b>	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
<b>S2</b>		5.00	33.4	0.19	1.2	2.1	25	75
<b>S3</b>		9.71	64.8	0.4	2.4	4.2	25	75
<b>S4</b>		19.8	132	0.7	5	2.1	/	/
<b>S5</b>		31.3	209	1.2	8	3.4	/	/
<b>S6</b>		45.2	301	1.7	11	4.5	/	/
<b>BS-800<sup>15</sup>(R1:R2 :S=200:100:3)</b>		<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
	<b>S2</b>	4.74	31.6	0.18	1.2	3	30	90
	<b>S3</b>	9.18	61.2	0.3	2.3	6	30	90
	<b>S4</b>	19.1	127	0.7	5	3	/	/
	<b>S5</b>	30.0	200	1.1	7	4.8	/	/
	<b>S6</b>	45.2	301	1.7	11	6.5	/	/
		<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/
	<b>S2</b>	4.74	31.6	0.18	1.2	2.1	30	90

# Specific Proteins Calibrator



<b>BS-800<sup>15</sup>(R1:R2:S=140:70:2.1)</b>	<b>S3</b>	9.18	61.2	0.3	2.3	4.2	30	90
	<b>S4</b>	19.1	127	0.7	5	2.1	/	/
	<b>S5</b>	30.0	200	1.1	7	3.4	/	/
	<b>S6</b>	45.2	301	1.7	11	4.5	/	/
	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	4.93	32.9	0.19	1.2	2.1	25	75
<b>BS-2000<sup>16</sup></b>	<b>S3</b>	9.48	63.2	0.4	2.4	4.2	25	75
	<b>S4</b>	19.0	127	0.7	5	2.1	/	/
	<b>S5</b>	29.7	198	1.1	8	3.4	/	/
	<b>S6</b>	44.3	295	1.7	11	4.5	/	/
	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
	<b>S2</b>	4.98	33.2	0.16	1.1	2.1	25	75
<b>BS-2800M<sup>17</sup></b>	<b>S3</b>	10.0	66.7	0.3	2.2	4.2	25	75
	<b>S4</b>	18.8	125	0.6	4	2.1	/	/
	<b>S5</b>	31.8	212	1.0	7	3.4	/	/
	<b>S6</b>	46.0	307	1.5	10	4.5	/	/
	<b>0.9%NaCl</b>	0.00	0.0	/	/	/	/	/
Abbreviated name		IgM		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
<b>BS-120<sup>1</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.290	0.299	0.016	0.017	45	180	3
	<b>S3</b>	0.540	0.556	0.03	0.03	10	210	37
	<b>S4</b>	0.900	0.927	0.05	0.05	45	180	12
	<b>S5</b>	1.27	1.31	0.07	0.07	/	/	3
	<b>S6</b>	4.20	4.33	0.24	0.24	/	/	18
<b>BS-200<sup>2</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.300	0.309	0.019	0.019	45	180	3
	<b>S3</b>	0.550	0.567	0.03	0.04	10	210	37
	<b>S4</b>	0.920	0.948	0.06	0.06	45	180	12
	<b>S5</b>	1.30	1.34	0.08	0.08	/	/	3
	<b>S6</b>	4.10	4.22	0.25	0.26	/	/	18
<b>BS-200E<sup>3</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.280	0.288	0.014	0.014	35	140	3
	<b>S3</b>	0.650	0.670	0.03	0.03	45	135	6
	<b>S4</b>	0.930	0.958	0.04	0.05	35	140	12
	<b>S5</b>	1.33	1.37	0.06	0.07	/	/	3
	<b>S6</b>	4.78	4.92	0.23	0.24	/	/	18
<b>BS-300<sup>6</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.290	0.299	0.017	0.017	45	180	3
	<b>S3</b>	0.580	0.597	0.03	0.03	10	210	37
	<b>S4</b>	1.01	1.04	0.06	0.06	45	180	12
	<b>S5</b>	1.35	1.39	0.08	0.08	/	/	3
	<b>S6</b>	4.70	4.84	0.27	0.28	/	/	18
<b>BS-330E<sup>7</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.280	0.288	0.014	0.014	35	140	3
	<b>S3</b>	0.650	0.670	0.03	0.03	45	135	6
	<b>S4</b>	0.930	0.958	0.04	0.05	35	140	12
	<b>S5</b>	1.33	1.37	0.06	0.07	/	/	3
	<b>S6</b>	4.78	4.92	0.23	0.24	/	/	18
<b>BS-360E<sup>8</sup></b>	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.260	0.268	0.013	0.013	25	100	3
	<b>S3</b>	0.650	0.670	0.03	0.03	34	102	6
	<b>S4</b>	0.950	0.979	0.05	0.05	25	100	12
	<b>S5</b>	1.36	1.40	0.07	0.07	/	/	3
	<b>S6</b>	4.74	4.88	0.23	0.24	/	/	18

BS-380 <sup>9</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.280	0.288	0.016	0.016	30	120	3
	S3	0.650	0.670	0.04	0.04	40	120	6
	S4	0.960	0.989	0.05	0.06	30	120	12
	S5	1.35	1.39	0.08	0.08	/	/	3
	S6	4.78	4.92	0.27	0.28	/	/	18
BS-400 <sup>10</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.280	0.288	0.016	0.016	30	120	3
	S3	0.650	0.670	0.04	0.04	40	120	6
	S4	0.930	0.958	0.05	0.05	30	120	12
	S5	1.33	1.37	0.07	0.08	/	/	3
	S6	4.78	4.92	0.27	0.27	/	/	18
Abbreviated name		IgM		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 <sup>4</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.290	0.299	0.017	0.017	2.1	30	120
	S3	0.520	0.536	0.03	0.03	25.9	7	147
	S4	0.900	0.927	0.05	0.05	8.4	30	120
	S5	1.28	1.32	0.07	0.08	2.1	/	/
	S6	4.70	4.84	0.27	0.28	12.6	/	/
BS-240E <sup>5</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.280	0.288	0.014	0.014	2.1	25	100
	S3	0.600	0.618	0.029	0.03	4.2	34	102
	S4	0.880	0.906	0.04	0.04	8.4	25	100
	S5	1.37	1.41	0.07	0.07	2.1	/	/
	S6	4.25	4.38	0.20	0.21	12.6	/	/
BS-430 <sup>11</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.280	0.288	0.014	0.014	3	25	100
	S3	0.660	0.680	0.03	0.03	6	30	90
	S4	0.960	0.989	0.05	0.05	12	25	100
	S5	1.37	1.41	0.07	0.07	3	/	/
	S6	4.66	4.80	0.22	0.23	18	/	/
BS-480 <sup>12</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.260	0.268	0.019	0.019	3	30	120
	S3	0.630	0.649	0.04	0.05	6	40	120
	S4	0.930	0.958	0.07	0.07	12	30	120
	S5	1.32	1.36	0.09	0.10	3	/	/
	S6	4.70	4.84	0.3	0.3	18	/	/
BS-600 <sup>13</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.290	0.299	0.021	0.021	3	25	100
	S3	0.660	0.680	0.05	0.05	6	30	90
	S4	0.960	0.989	0.07	0.07	12	25	100
	S5	1.38	1.42	0.10	0.10	3	/	/
	S6	4.70	4.84	0.3	0.3	18	/	/
BS-600M <sup>14</sup>	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.290	0.299	0.014	0.014	2.1	25	100
	S3	0.680	0.700	0.03	0.03	4.2	25	75
	S4	1.05	1.08	0.05	0.05	8.4	25	100
	S5	1.31	1.35	0.06	0.07	2.1	/	/
	S6	5.13	5.28	0.25	0.25	12.6	/	/
BS-800 <sup>15</sup> (R1:R2 :S=200:50:3 )	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.280	0.288	0.014	0.014	3	25	100
	S3	0.650	0.670	0.03	0.03	6	30	90
	S4	0.930	0.958	0.04	0.05	12	25	100

# Specific Proteins Calibrator



<b>BS-800<sup>15</sup>(R1:R2:S=140:35:2.1)</b>	<b>S5</b>	1.33	1.37	0.06	0.07	3	/	/
	<b>S6</b>	4.78	4.92	0.23	0.24	18	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.280	0.288	0.014	0.014	2.1	25	100
	<b>S3</b>	0.650	0.670	0.03	0.03	4.2	30	90
	<b>S4</b>	0.930	0.958	0.04	0.05	8.4	25	100
	<b>S5</b>	1.33	1.37	0.06	0.07	2.1	/	/
	<b>S6</b>	4.78	4.92	0.23	0.24	12.6	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>BS-2000<sup>16</sup>(R1:R2:S=200:50:3)</b>	<b>S2</b>	0.290	0.299	0.014	0.015	3	25
<b>S3</b>		0.660	0.680	0.03	0.03	6	25	75
<b>S4</b>		0.950	0.979	0.05	0.05	12	25	100
<b>S5</b>		1.30	1.34	0.06	0.07	3	/	/
<b>S6</b>		4.74	4.88	0.23	0.24	18	/	/
<b>0.9%NaCl</b>		0.000	0.000	/	/	/	/	/
<b>S2</b>		0.290	0.299	0.014	0.015	2.1	25	100
<b>BS-2000<sup>16</sup>(R1:R2:S=140:35:2.1)</b>	<b>S3</b>	0.660	0.680	0.03	0.03	4.2	25	75
	<b>S4</b>	0.950	0.979	0.05	0.05	8.4	25	100
	<b>S5</b>	1.30	1.34	0.06	0.07	2.1	/	/
	<b>S6</b>	4.74	4.88	0.23	0.24	12.6	/	/
	<b>0.9%NaCl</b>	0.000	0.000	/	/	/	/	/
	<b>S2</b>	0.300	0.309	0.015	0.015	2.1	25	100
	<b>S3</b>	0.700	0.721	0.03	0.03	4.2	25	75
<b>BS-2800M<sup>17</sup></b>	<b>S4</b>	1.05	1.08	0.05	0.05	8.4	25	100
	<b>S5</b>	1.33	1.37	0.06	0.07	2.1	/	/
	<b>S6</b>	5.15	5.30	0.25	0.26	12.6	/	/


**mindray**

**Specific Proteins Calibrator**

For use on: BS-2800M

**LOT** 150724002

**2025-07-28**




**mindray**

**Specific Proteins Calibrator**

For use on: BS-2000

**LOT** 150724002

**2025-07-28**






**mindray**

**Specific Proteins Calibrator**

For use on: BS-800

**LOT** 150724002

**EXP** 2025-07-28



**mindray**

**Specific Proteins Calibrator**

For use on: BS-600M

**LOT** 150724002

**EXP** 2025-07-28

