

Tumor Marker Multi Control II(L)



Target Value Sheet

Product	Lot Number and Expiration Date	Analytes	Instrument Model	Unit	Target Values	Target Values and Ranges (Target Values±3SD)			1SD	International Unit	Target Values	Target Values and Ranges (Target Values±3SD)			1SD
Tumor Marker Multi Control II(L)	<div>LOT</div> <div>2023080111</div> <div></div> <div>2025/3/4</div>	CA242	CL-900i Series	U/mL	12.06	7.23	~	16.89	1.61	KU/L	12.06	7.23	~	16.89	1.61
			CL-8000i Series		12.06	7.23	~	16.89	1.61		12.06	7.23	~	16.89	1.61
			CL-2000i/CL-1000i/CL-6000i Series		12.06	7.23	~	16.89	1.61		12.06	7.23	~	16.89	1.61
		CA50	CL-900i Series	U/mL	10.75	6.46	~	15.04	1.43	KU/L	10.75	6.46	~	15.04	1.43
			CL-8000i Series		10.75	6.46	~	15.04	1.43		10.75	6.46	~	15.04	1.43
			CL-2000i/CL-1000i/CL-6000i Series		10.75	6.46	~	15.04	1.43		10.75	6.46	~	15.04	1.43
		HE4	CL-900i Series	pmol/L	47.86	28.72	~	67.00	6.38	/	/	/	~	/	/
			CL-8000i Series		47.86	28.72	~	67.00	6.38		/	/	~	/	/
			CL-2000i/CL-1000i/CL-6000i Series		47.86	28.72	~	67.00	6.38		/	/	~	/	/
		SCCA	CL-900i Series	ng/mL	1.98	1.20	~	2.76	0.26	μg/L	1.98	1.20	~	2.76	0.26
			CL-8000i Series		1.98	1.20	~	2.76	0.26		1.98	1.20	~	2.76	0.26
			CL-2000i/CL-1000i/CL-6000i Series		1.98	1.20	~	2.76	0.26		1.98	1.20	~	2.76	0.26
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
		/	/	/	/	/	~	/	/	/	/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/
			/		/	/	~	/	/		/	/	~	/	/

Remark: