

Value sheet of Mindray BS Measurement System

Русский: Таблица результатов для системы BS компании Mindray

Português : Planilha de valores do Sistema de Medição BS da Mindray

Español : Hoja de valores del sistema de medición Mindray BS

Italiano : Scheda dei valori del sistema di misurazione BS di Mindray

Türkçe : Mindray BS Ölçüm Sistemi'nin değer sayfası



The data of each group is same.

Русский: Данные совпадают во всех группах.

Português : A dados de cada grupo é a mesma.

Español : la datos de cada grupo es la misma.

Italiano : la dati di ogni gruppo è la stessa.

Türkçe : her grubun veri aynıdır.

1.BS-120: BS-120, BS-130, BS-180, BS-190;

11.BS-430: BS-430, BS-450,BS-460;

2.BS-200: BS-200, BS-220, BS-330, BS-350;

12.BS-480: BS-480, BS-490;

3.BS-200E: BS-200E, BS-220E,;

13.BS-600: BS-600, BS-620;

4.BS-240: BS-230, BS-240;

14.BS-600M: BS-600M, BS-620M;

5.BS-240E: BS240E, BS240Pro;

15.BS-800: BS-800, BS-820, BS-800M, BS-820M, BS-1800, BS-1800plus;

6.BS-300: BS-300, BS-320;

16.BS-1000M: BS-1000M, BS-1100M;

7.BS-330E:BS-330E(Serial Number starts with "XQ-"), BS-350E(Serial Number starts with "XS-")

17.BS-2000: BS-2000, BS-2200, BS-2000M, BS-2200M;

8.BS-360E: BS-360E, BS-370E, BS-350S, BS-360S, BS-330E(V35.00)(Serial Number starts with "W8-" and software version starts with "35.00"), BS-350E(V35.00) (Serial Number starts with "W9-" and software version starts with "35.00");

18.BS-2800M:BS-2600M, BS-2800M;

9.BS-380: BS-380, BS-390;

19.For applicable models of the analyte, please refer to the

10.BS-400: BS-400, BS-420;

reagent parameter sheet and instruction.

LOT : 150723010

EXP : 2025-04-23

English	Abbreviated name	Calibration Rule	Model	Level
Русский	сокращенное наименование	Принцип калибровки	модель	Уровень
Português	Nome abreviado	Regra de calibração	Modelo	Nível
Español	nombre abreviado	Regla de calibración	modelo	Nivel
Italiano	abbreviazione	Regola di calibrazione	modelli	Livello
Türkçe	kısaltılmış ad	Kalibrasyon Kuralı	model	Düzey

English	Calibration Value	Expanded Uncertainty
Русский	Эталонное значение	Расширенная неопределенность
Português	Valor de calibração	Incerteza Expandida
Español	Valor de calibración	Incertidumbre expandida
Italiano	Valore di calibrazione	Incertezza estesa
Türkçe	Kalibrasyon Değeri	Daha Uzun Süreli Belirsizlik

English	Sample Vol for Dilution	Diluent Vol	Sample Vol For Analysis
Русский	Объем пробы для разбавления	Объем разбавителя	Объем пробы для анализа
Português	Volume da amostra para diluição	Volume de diluente	Volume da amostra para análise
Español	Vol. muestra para dilución	Vol. diluyente	Vol. muestra para análisis
Italiano	Vol. campione per la diluizione	Vol. diluente	Vol. campione per analisi
Türkçe	Dilüsyon için Numune Hacmi	Seyreltici Hacmi	Analiz için Numune Hacmi

	C3	C4	CRP
English	Complement C3	Complement C4	C- Reactive protein
Русский	Комплемент C3	Комплемент C4	C-реактивный белок
Português	complemento C3	complemento C4	proteína C-reativa
Español	complemento C3	complemento C4	proteína C reactiva
Italiano	complemento C3	complemento C4	proteina C-reattiva
Türkçe	Kompleman C3	Kompleman C4	C-Reaktif proteini

		IgA	IgG	IgM		
English		Immunoglobulin A	Immunoglobulin G	Immunoglobulin M		
Русский		Иммуноглобулин А	Иммуноглобулин G	Иммуноглобулин M		
Português		Imunoglobulina A	Imunoglobulina G	Imunoglobulina M		
Español		Inmunoglobulina A	Inmunoglobulina G	Inmunoglobulina M		
Italiano		Immunoglobulina A	Immunoglobulina G	Immunoglobulina M		
Türkçe		İmmünoglobulin A	İmmünoglobulin G	İmmünoglobulin M		
Abbreviated name		C3	Calibration Rule	Logit-Log(5P)		
Model	Level	Calibrator Value	Expanded Uncertainty	Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	g/L			
BS-120¹	0.9%NaCl	/	/	/	/	/
	S2	/	/	20	180	3
	S3	/	/	8	194	20
	S4	/	/	10	230	40
	S5	/	/	45	180	12
	S6	/	/	/	/	4
BS-200²	0.9%NaCl	/	/	/	/	/
	S2	/	/	20	180	3
	S3	/	/	8	194	20
	S4	/	/	10	230	40
	S5	/	/	45	180	12
	S6	/	/	/	/	4
BS-200E³	0.9%NaCl	/	/	/	/	/
	S2	/	/	15	135	3
	S3	/	/	45	135	3
	S4	/	/	45	135	6
	S5	/	/	35	140	12
	S6	/	/	/	/	4
BS-300⁶	0.9%NaCl	/	/	/	/	/
	S2	/	/	20	180	3
	S3	/	/	8	194	20
	S4	/	/	10	230	40
	S5	/	/	45	180	12
	S6	/	/	/	/	4
BS-330E⁷	0.9%NaCl	/	/	/	/	/
	S2	/	/	15	135	3
	S3	/	/	45	135	3
	S4	/	/	45	135	6
	S5	/	/	35	140	12
	S6	/	/	/	/	4
BS-360E⁸	0.9%NaCl	/	/	/	/	/
	S2	/	/	13	117	3
	S3	/	/	34	102	3
	S4	/	/	34	102	6
	S5	/	/	25	100	12
	S6	/	/	/	/	4
BS-380⁹	0.9%NaCl	/	/	/	/	/
	S2	/	/	14	126	3
	S3	/	/	40	120	3
	S4	/	/	40	120	6
	S5	/	/	30	120	12
	S6	/	/	/	/	4
	0.9%NaCl	/	/	/	/	/
	S2	/	/	14	126	3

BS-400 ¹⁰	S3	/	/	40	120	3
	S4	/	/	40	120	6
	S5	/	/	30	120	12
	S6	/	/	/	/	4
Abbreviated name		C3		Calibration Rule		Logit-Log(5P)
Model	Level	Calibrator Value	Expanded Uncertainty	Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	g/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	14	126
	S3	/	/	14	8	194
	S4	/	/	28	7	161
	S5	/	/	8.4	30	120
	S6	/	/	2.8	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	13	117
	S3	/	/	2.1	34	102
	S4	/	/	4.2	34	102
	S5	/	/	8.4	25	100
	S6	/	/	2.8	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	11	99
	S3	/	/	2.1	30	90
	S4	/	/	4.2	30	90
	S5	/	/	8.4	25	100
	S6	/	/	2.8	/	/
BS-480 ¹²	0.9%NaCl	/	/	/	/	/
	S2	/	/	3	14	126
	S3	/	/	3	40	120
	S4	/	/	6	40	120
	S5	/	/	12	30	120
	S6	/	/	4	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	11	99
	S3	/	/	2.1	30	90
	S4	/	/	4.2	30	90
	S5	/	/	8.4	25	100
	S6	/	/	2.8	/	/
BS-600M ¹⁴	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	10	90
	S3	/	/	2.1	25	75
	S4	/	/	4.2	25	75
	S5	/	/	8.4	25	100
	S6	/	/	2.8	/	/
BS-800 ¹⁵ (R1:R2 :S=200:100:3)	0.9%NaCl	/	/	/	/	/
	S2	/	/	3	10	90
	S3	/	/	3	30	90
	S4	/	/	6	30	90
	S5	/	/	12	25	100
	S6	/	/	4	/	/
BS-800 ¹⁵ (R1:R2 :S=140:70:2.1)	0.9%NaCl	/	/	/	/	/
	S2	/	/	2.1	10	90
	S3	/	/	2.1	30	90
	S4	/	/	4.2	30	90
	S5	/	/	8.4	25	100
	S6	/	/	2.8	/	/

BS-1000M¹⁶	0.9%NaCl	0.000	/	/	/	/	/	
	S2	0.290	0.015	2.1	10	90		
	S3	0.710	0.04	2.1	25	75		
	S4	1.36	0.07	4.2	25	75		
	S5	2.10	0.11	8.4	25	100		
	S6	3.63	0.18	2.8	/	/		
BS-2000¹⁷	0.9%NaCl	/	/	/	/	/	/	
	S2	/	/	2.1	10	90		
	S3	/	/	2.1	25	75		
	S4	/	/	4.2	25	75		
	S5	/	/	8.4	25	100		
	S6	/	/	2.8	/	/		
BS-2800M¹⁸	0.9%NaCl	/	/	/	/	/	/	
	S2	/	/	2.1	10	90		
	S3	/	/	2.1	25	75		
	S4	/	/	4.2	25	75		
	S5	/	/	8.4	25	100		
	S6	/	/	2.8	/	/		
Abbreviated name		C4		Calibration Rule		spline		
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-120¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	180	10
	S3	/	/	/	/	35	195	10
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-200²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	180	10
	S3	/	/	/	/	35	195	10
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-200E³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	135	3
	S3	/	/	/	/	45	135	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-300⁶	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	180	10
	S3	/	/	/	/	35	195	10
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-330E⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	135	3
	S3	/	/	/	/	45	135	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-360E⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	34	102	3
	S3	/	/	/	/	34	102	6
	S4	/	/	/	/	/	/	3

	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-380 ⁹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	40	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
BS-400 ¹⁰	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	40	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	3.5
	S6	/	/	/	/	/	/	6.5
Abbreviated name		C4				Calibration Rule		spline
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	12	144
	S3	/	/	/	/	8	28	156
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.4	34	102
	S3	/	/	/	/	4.8	34	102
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	30	90
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	3.5	/	/
	S6	/	/	/	/	6.5	/	/
BS-480 ¹²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	40	120
	S3	/	/	/	/	6	40	120
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	3.5	/	/
	S6	/	/	/	/	6.5	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	30	90
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	3.5	/	/
	S6	/	/	/	/	6.5	/	/
BS-600M ¹⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.4	25	75
	S3	/	/	/	/	4.8	25	75
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	30	90

BS-800¹⁵ (R1:R2:S=200:75:3)	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	3.5	/	/
	S6	/	/	/	/	6.5	/	/
BS-800¹⁵ (R1:R2:S=160:60:2.4)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.4	30	90
	S3	/	/	/	/	4.8	30	90
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
BS-1000M¹⁶	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.116	0.580	0.006	0.029	2.4	25	75
	S3	0.236	1.18	0.012	0.06	4.8	25	75
	S4	0.438	2.19	0.022	0.11	2.4	/	/
	S5	0.510	2.55	0.025	0.13	2.8	/	/
	S6	0.914	4.57	0.04	0.22	5.2	/	/
BS-2000¹⁷ (R1:R2:S=200:75:3)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	25	75
	S3	/	/	/	/	6	25	75
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	3.5	/	/
	S6	/	/	/	/	6.5	/	/
BS-2000¹⁷ (R1:R2:S=160:60:2.4)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.4	25	75
	S3	/	/	/	/	4.8	25	75
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
BS-2800M¹⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.4	25	75
	S3	/	/	/	/	4.8	25	75
	S4	/	/	/	/	2.4	/	/
	S5	/	/	/	/	2.8	/	/
	S6	/	/	/	/	5.2	/	/
Abbreviated name		CRP II		Calibration Rule		Logit-Log(5P)		
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		mg/L	nmol/L	mg/L	nmol/L			
BS-120¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	20	180	8
	S3	/	/	/	/	40	160	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
BS-200²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	20	180	8
	S3	/	/	/	/	40	160	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
BS-200E³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	135	10.4
	S3	/	/	/	/	30	120	20.8
	S4	/	/	/	/	/	/	10.4
	S5	/	/	/	/	/	/	18.2
	S6	/	/	/	/	/	/	36.4

BS-300 ⁶	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	20	180	8
	S3	/	/	/	/	45	180	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
BS-330E ⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	135	10.4
	S3	/	/	/	/	35	140	20.8
	S4	/	/	/	/	/	/	10.4
	S5	/	/	/	/	/	/	18.2
	S6	/	/	/	/	/	/	36.4
BS-360E ⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	13	117	8
	S3	/	/	/	/	30	120	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
BS-380 ⁹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	14	126	8
	S3	/	/	/	/	30	120	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
BS-400 ¹⁰	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	14	126	8
	S3	/	/	/	/	30	120	16
	S4	/	/	/	/	/	/	8
	S5	/	/	/	/	/	/	14
	S6	/	/	/	/	/	/	28
Abbreviated name		CRP II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		mg/L	nmol/L	mg/L	nmol/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	6.4	16	144
	S3	/	/	/	/	12.8	25	100
	S4	/	/	/	/	6.4	/	/
	S5	/	/	/	/	11.2	/	/
	S6	/	/	/	/	22.4	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	6.4	13	117
	S3	/	/	/	/	12.8	25	100
	S4	/	/	/	/	6.4	/	/
	S5	/	/	/	/	11.2	/	/
	S6	/	/	/	/	22.4	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	11	99
	S3	/	/	/	/	16	25	100
	S4	/	/	/	/	8	/	/
	S5	/	/	/	/	14	/	/
	S6	/	/	/	/	28	/	/
BS-480 ¹²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	14	126
	S3	/	/	/	/	16	30	120
	S4	/	/	/	/	8	/	/

	S5	/	/	/	/	14	/	/
	S6	/	/	/	/	28	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	11	99
	S3	/	/	/	/	16	25	100
	S4	/	/	/	/	8	/	/
	S5	/	/	/	/	14	/	/
	S6	/	/	/	/	28	/	/
		0.9%NaCl	/	/	/	/	/	/
BS-600M ¹⁴	S2	/	/	/	/	6.4	10	90
	S3	/	/	/	/	12.8	25	100
	S4	/	/	/	/	6.4	/	/
	S5	/	/	/	/	11.2	/	/
	S6	/	/	/	/	22.4	/	/
		0.9%NaCl	/	/	/	/	/	/
BS-800 ¹⁵ (R1:R2:S=200:50:8)	S2	/	/	/	/	8	10	90
	S3	/	/	/	/	16	25	100
	S4	/	/	/	/	8	/	/
	S5	/	/	/	/	14	/	/
	S6	/	/	/	/	28	/	/
	0.9%NaCl	/	/	/	/	/	/	/
BS-800 ¹⁵ (R1:R2:S=120:30:4.8)	S2	/	/	/	/	4.8	10	90
	S3	/	/	/	/	9.6	25	100
	S4	/	/	/	/	4.8	/	/
	S5	/	/	/	/	8.4	/	/
	S6	/	/	/	/	16.8	/	/
	0.9%NaCl	0.00	0.0	/	/	/	/	/
BS-1000M ¹⁶	S2	9.90	94.2	0.7	6	4.8	10	90
	S3	34.9	332	2.3	22	9.6	25	100
	S4	92.8	883	6	59	4.8	/	/
	S5	154	1466	10	98	8.4	/	/
	S6	295	2808	20	188	16.8	/	/
	0.9%NaCl	/	/	/	/	/	/	/
BS-2000 ¹⁷	S2	/	/	/	/	4.8	10	90
	S3	/	/	/	/	9.6	25	100
	S4	/	/	/	/	4.8	/	/
	S5	/	/	/	/	8.4	/	/
	S6	/	/	/	/	16.8	/	/
Abbreviated name		IgA II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-200 ²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	20	180	3
	S3	/	/	/	/	8	194	20
	S4	/	/	/	/	10	230	40
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
	0.9%NaCl	/	/	/	/	/	/	/
BS-200E ³	S2	/	/	/	/	15	135	3
	S3	/	/	/	/	45	135	3
	S4	/	/	/	/	45	135	6
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	15	135	3

BS-330E ⁷	S3	/	/	/	/	45	135	3
	S4	/	/	/	/	45	135	6
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
BS-360E ⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	13	117	3
	S3	/	/	/	/	34	102	3
	S4	/	/	/	/	34	102	6
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
BS-380 ⁹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	14	126	3
	S3	/	/	/	/	40	120	3
	S4	/	/	/	/	40	120	6
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
BS-400 ¹⁰	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	14	126	3
	S3	/	/	/	/	40	120	3
	S4	/	/	/	/	40	120	6
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	6.5
Abbreviated name		IgA II		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	13	117
	S3	/	/	/	/	2.1	34	102
	S4	/	/	/	/	4.2	34	102
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	13	117
	S3	/	/	/	/	2.1	34	102
	S4	/	/	/	/	4.2	34	102
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.6	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	11	99
	S3	/	/	/	/	2.1	30	90
	S4	/	/	/	/	4.2	30	90
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
BS-480 ¹²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	14	126
	S3	/	/	/	/	3	40	120
	S4	/	/	/	/	6	40	120
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	6.5	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	11	99
	S3	/	/	/	/	2.1	30	90
	S4	/	/	/	/	4.2	30	90
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/

BS-600M ¹⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	10	90
	S3	/	/	/	/	2.1	25	75
	S4	/	/	/	/	4.2	25	75
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
BS-800 ¹⁵ (R1:R2:S=200:100:3)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	10	90
	S3	/	/	/	/	3	30	90
	S4	/	/	/	/	6	30	90
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	6.5	/	/
BS-800 ¹⁵ (R1:R2:S=140:70:2.1)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	10	90
	S3	/	/	/	/	2.1	30	90
	S4	/	/	/	/	4.2	30	90
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
BS-1000M ¹⁶	0.9%NaCl	0.000	0.00	/	/	/	/	/
	S2	0.490	3.06	0.019	0.12	2.1	10	90
	S3	1.17	7.31	0.05	0.28	2.1	25	75
	S4	2.25	14.1	0.09	0.5	4.2	25	75
	S5	4.50	28.1	0.17	1.1	2.1	/	/
	S6	8.97	56.1	0.3	2.2	4.5	/	/
BS-2000 ¹⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	10	90
	S3	/	/	/	/	2.1	25	75
	S4	/	/	/	/	4.2	25	75
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
BS-2800M ¹⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	10	90
	S3	/	/	/	/	2.1	25	75
	S4	/	/	/	/	4.2	25	75
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	4.5	/	/
Abbreviated name		IgG		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-120 ¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	194	20
	S3	/	/	/	/	10	230	40
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
BS-200 ²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	194	20
	S3	/	/	/	/	10	230	40
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
BS-200E ³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	135	4.2
	S3	/	/	/	/	45	135	8.4
	S4	/	/	/	/	/	/	4.2

	S5	/	/	/	/	/	/	6.8
	S6	/	/	/	/	/	/	9.1
BS-300 ⁶	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	8	194	20
	S3	/	/	/	/	10	230	40
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
BS-330E ⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	135	4.2
	S3	/	/	/	/	45	135	8.4
	S4	/	/	/	/	/	/	4.2
	S5	/	/	/	/	/	/	6.8
	S6	/	/	/	/	/	/	9.1
BS-360E ⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	34	102	3
	S3	/	/	/	/	34	102	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
BS-380 ⁹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	40	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
BS-400 ¹⁰	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	40	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	/	/	3
	S5	/	/	/	/	/	/	4.8
	S6	/	/	/	/	/	/	6.5
Abbreviated name		IgG		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	14	8	194
	S3	/	/	/	/	28	7	161
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.6	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	34	102
	S3	/	/	/	/	4.2	34	102
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	30	90
	S3	/	/	/	/	4.2	30	90
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	40	120

BS-480 ¹²	S3	/	/	/	/	6	40	120
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	4.8	/	/
	S6	/	/	/	/	6.5	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	30	90
	S3	/	/	/	/	4.2	30	90
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
BS-600M ¹⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	75
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
BS-800 ¹⁵ (R1:R2:S=200:100:3)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	30	90
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	3	/	/
	S5	/	/	/	/	4.8	/	/
	S6	/	/	/	/	6.5	/	/
BS-800 ¹⁵ (R1:R2:S=140:70:2.1)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	30	90
	S3	/	/	/	/	4.2	30	90
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
BS-1000M ¹⁶	0.9%NaCl	0.00	0.0	/	/	/	/	/
	S2	4.87	32.5	0.16	1.1	2.1	25	75
	S3	9.73	64.9	0.3	2.1	4.2	25	75
	S4	18.8	125	0.6	4	2.1	/	/
	S5	30.1	201	1.0	7	3.4	/	/
	S6	43.6	291	1.4	10	4.5	/	/
BS-2000 ¹⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	75
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
BS-2800M ¹⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	75
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	2.1	/	/
	S5	/	/	/	/	3.4	/	/
	S6	/	/	/	/	4.5	/	/
Abbreviated name		IgM		Calibration Rule		Logit-Log(5P)		
Model	Level	Calibrator Value		Expanded Uncertainty		Sample Vol For Dilution(μL)	Dilution Vol (μL)	Dilution Vol For Analysis(μL)
		g/L	μmol/L	g/L	μmol/L			
BS-120 ¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	180	3
	S3	/	/	/	/	10	210	37
	S4	/	/	/	/	45	180	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18

BS-200 ²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	180	3
	S3	/	/	/	/	10	210	37
	S4	/	/	/	/	45	180	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-200E ³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	35	140	3
	S3	/	/	/	/	45	135	6
	S4	/	/	/	/	35	140	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-300 ⁶	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	45	180	3
	S3	/	/	/	/	10	210	37
	S4	/	/	/	/	45	180	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-330E ⁷	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	35	140	3
	S3	/	/	/	/	45	135	6
	S4	/	/	/	/	35	140	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-360E ⁸	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	25	100	3
	S3	/	/	/	/	34	102	6
	S4	/	/	/	/	25	100	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-380 ⁹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	30	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	30	120	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
BS-400 ¹⁰	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	30	120	3
	S3	/	/	/	/	40	120	6
	S4	/	/	/	/	30	120	12
	S5	/	/	/	/	/	/	3
	S6	/	/	/	/	/	/	18
Abbreviated name		IgM		Calibration Rule			Logit-Log(5P)	
Model	Level	Calibrator Value		Expanded Uncertainty		Dilution Vol For Analysis(μL)	Sample Vol For Dilution(μL)	Dilution Vol (μL)
		g/L	μmol/L	g/L	μmol/L			
BS-240 ⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	30	120
	S3	/	/	/	/	25.9	7	147
	S4	/	/	/	/	8.4	30	120
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/
BS-240E ⁵	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	100
	S3	/	/	/	/	4.2	34	102
	S4	/	/	/	/	8.4	25	100

	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/
BS-430 ¹¹	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	25	100
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	12	25	100
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	18	/	/
BS-480 ¹²	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	30	120
	S3	/	/	/	/	6	40	120
	S4	/	/	/	/	12	30	120
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	18	/	/
BS-600 ¹³	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	25	100
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	12	25	100
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	18	/	/
BS-600M ¹⁴	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	100
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	8.4	25	100
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/
BS-800 ¹⁵ (R1:R2:S=200:50:3)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	25	100
	S3	/	/	/	/	6	30	90
	S4	/	/	/	/	12	25	100
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	18	/	/
BS-800 ¹⁵ (R1:R2:S=140:35:2.1)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	100
	S3	/	/	/	/	4.2	30	90
	S4	/	/	/	/	8.4	25	100
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/
BS-1000M ¹⁶	0.9%NaCl	0.000	0.000	/	/	/	/	/
	S2	0.320	0.330	0.016	0.016	2.1	25	100
	S3	0.730	0.752	0.04	0.04	4.2	25	75
	S4	1.12	1.15	0.05	0.06	8.4	25	100
	S5	1.41	1.45	0.07	0.07	2.1	/	/
	S6	5.29	5.45	0.26	0.26	12.6	/	/
BS-2000 ¹⁷ (R1:R2:S=200:50:3)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	3	25	100
	S3	/	/	/	/	6	25	75
	S4	/	/	/	/	12	25	100
	S5	/	/	/	/	3	/	/
	S6	/	/	/	/	18	/	/
BS-2000 ¹⁷ (R1:R2:S=140:35:2.1)	0.9%NaCl	/	/	/	/	/	/	/
	S2	/	/	/	/	2.1	25	100
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	8.4	25	100
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/
	0.9%NaCl	/	/	/	/	/	/	/

Specific Proteins Calibrator



BS- 2800M¹⁸	S2	/	/	/	/	2.1	25	100
	S3	/	/	/	/	4.2	25	75
	S4	/	/	/	/	8.4	25	100
	S5	/	/	/	/	2.1	/	/
	S6	/	/	/	/	12.6	/	/


mindray

Specific Proteins Calibrator

For use on: BS-2000

LOT 150723010

2025-04-23




mindray

Specific Proteins Calibrator

For use on: BS-1000M

LOT 150723010

2025-04-23




mindray

Specific Proteins Calibrator

For use on: BS-600M

LOT 150723010

📅 2025-04-23




mindray

Specific Proteins Calibrator

For use on: BS-2800M

LOT 150723010

📅 2025-04-23



mindray

Specific Proteins Calibrator

For use on: BS-800

LOT 150723010

EXP 2025-04-23

