

Value sheet of Mindray BS Measurement System

Русский: Таблица результатов для системы BS компании Mindray

Português : Planilha de valores do Sistema de Medição BS da Mindray

Español : Hoja de valores del sistema de medición Mindray BS

Italiano : Scheda dei valori del sistema di misurazione BS di Mindray

Türkçe : Mindray BS Ölçüm Sistemi'nin değer sayfası



The data of each group is same.

Русский: Данные совпадают во всех группах.

Português : A dados de cada grupo é a mesma.

Español : la datos de cada grupo es la misma.

Italiano : la dati di ogni gruppo è la stessa.

Türkçe : her grubun veri aynıdır.

1.BS-120: BS-120, BS-130, BS-180, BS-190;

11.BS-430: BS-430, BS-450,BS-460;

2.BS-200: BS-200, BS-220, BS-330, BS-350;

12.BS-480: BS-480, BS-490;

3.BS-200E: BS-200E, BS-220E,;

13.BS-600: BS-600, BS-620;

4.BS-240: BS-230, BS-240;

14.BS-600M: BS-600M, BS-620M;

5.BS-240E: BS240E, BS240Pro;

15.BS-800: BS-800, BS-820, BS-800M, BS-820M, BS-1800, BS-1800plus;

6.BS-300: BS-300, BS-320;

16.BS-1000M: BS-1000M, BS-1100M;

7.BS-330E:BS-330E(Serial Number starts with "XQ-"), BS-350E(Serial Number starts with "XS-")

17.BS-2000: BS-2000, BS-2200, BS-2000M, BS-2200M;

8.BS-360E: BS-360E, BS-370E, BS-350S, BS-360S, BS-330E(V35.00)(Serial Number starts with "W8-" and software version starts with "35.00"), BS-350E(V35.00) (Serial Number starts with "W9-" and software version starts with "35.00");

18.BS-2800M:BS-2600M, BS-2800M;

9.BS-380: BS-380, BS-390;

19.For applicable models of the analyte, please refer to the reagent parameter sheet and instruction.

10.BS-400: BS-400, BS-420;

LOT : 150723007



: 2024-12-11

| English | Abbreviated name | Calibration Rule | Model | Level |
|-----------|---------------------------------|------------------------------|--------------------------------|---------|
| Русский | сокращенное наименование | Принцип калибровки | модель | Уровень |
| Português | Nome abreviado | Regra de calibração | Modelo | Nível |
| Español | nombre abreviado | Regla de calibración | modelo | Nivel |
| Italiano | abbreviazione | Regola di calibrazione | modelli | Livello |
| Türkçe | kısaltılmış ad | Kalibrasyon Kuralı | model | Düzey |
| English | Calibration Value | Expanded Uncertainty | | |
| Русский | Эталонное значение | Расширенная неопределенность | | |
| Português | Valor de calibração | Incerteza Expandida | | |
| Español | Valor de calibración | Incertidumbre expandida | | |
| Italiano | Valore di calibrazione | Incertezza estesa | | |
| Türkçe | Kalibrasyon Değeri | Daha Uzun Süreli Belirsizlik | | |
| English | Sample Vol for Dilution | Diluent Vol | Sample Vol For Analysis | |
| Русский | Объем пробы для разбавления | Объем разбавителя | Объем пробы для анализа | |
| Português | Volume da amostra para diluição | Volume de diluente | Volume da amostra para análise | |
| Español | Vol. muestra para dilución | Vol. diluyente | Vol. muestra para análisis | |
| Italiano | Vol. campione per la diluizione | Vol. diluente | Vol. campione per analisi | |
| Türkçe | Dilüsyon için Numune Hacmi | Seyreltici Hacmi | Analiz için Numune Hacmi | |
| | C3 | C4 | CRP | |
| English | Complement C3 | Complement C4 | C- Reactive protein | |
| Русский | Комплемент C3 | Комплемент C4 | C-реактивный белок | |
| Português | complemento C3 | complemento C4 | proteína C-reativa | |
| Español | complemento C3 | complemento C4 | proteína C reactiva | |
| Italiano | complemento C3 | complemento C4 | proteina C-reattiva | |
| Türkçe | Kompleman C3 | Kompleman C4 | C-Reaktif proteini | |

| | | IgA | IgG | IgM | | |
|----------------------------|-----------------|-------------------|-------------------------|-----------------------------|-------------------|-------------------------------|
| English | | Immunoglobulin A | Immunoglobulin G | Immunoglobulin M | | |
| Русский | | Иммуноглобулин А | Иммуноглобулин G | Иммуноглобулин M | | |
| Português | | Imunoglobulina A | Imunoglobulina G | Imunoglobulina M | | |
| Español | | Inmunoglobulina A | Inmunoglobulina G | Inmunoglobulina M | | |
| Italiano | | Immunoglobulina A | Immunoglobulina G | Immunoglobulina M | | |
| Türkçe | | İmmünoglobulin A | İmmünoglobulin G | İmmünoglobulin M | | |
| Abbreviated name | | C3 | Calibration Rule | Logit-Log(5P) | | |
| Model | Level | Calibrator Value | Expanded Uncertainty | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | g/L | g/L | | | |
| BS-120¹ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 20 | 180 | 3 |
| | S3 | / | / | 8 | 194 | 20 |
| | S4 | / | / | 10 | 230 | 40 |
| | S5 | / | / | 45 | 180 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-200² | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 20 | 180 | 3 |
| | S3 | / | / | 8 | 194 | 20 |
| | S4 | / | / | 10 | 230 | 40 |
| | S5 | / | / | 45 | 180 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-200E³ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 15 | 135 | 3 |
| | S3 | / | / | 45 | 135 | 3 |
| | S4 | / | / | 45 | 135 | 6 |
| | S5 | / | / | 35 | 140 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-300⁶ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 20 | 180 | 3 |
| | S3 | / | / | 8 | 194 | 20 |
| | S4 | / | / | 10 | 230 | 40 |
| | S5 | / | / | 45 | 180 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-330E⁷ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 15 | 135 | 3 |
| | S3 | / | / | 45 | 135 | 3 |
| | S4 | / | / | 45 | 135 | 6 |
| | S5 | / | / | 35 | 140 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-360E⁸ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 13 | 117 | 3 |
| | S3 | / | / | 34 | 102 | 3 |
| | S4 | / | / | 34 | 102 | 6 |
| | S5 | / | / | 25 | 100 | 12 |
| | S6 | / | / | / | / | 4 |
| BS-380⁹ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 14 | 126 | 3 |
| | S3 | / | / | 40 | 120 | 3 |
| | S4 | / | / | 40 | 120 | 6 |
| | S5 | / | / | 30 | 120 | 12 |
| | S6 | / | / | / | / | 4 |
| | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 14 | 126 | 3 |

| BS-400 ¹⁰ | S3 | / | / | 40 | 120 | 3 |
|--|----------|------------------|----------------------|-------------------------------|-----------------------------|-------------------|
| | S4 | / | / | 40 | 120 | 6 |
| | S5 | / | / | 30 | 120 | 12 |
| | S6 | / | / | / | / | 4 |
| Abbreviated name | | C3 | | Calibration Rule | | Logit-Log(5P) |
| Model | Level | Calibrator Value | Expanded Uncertainty | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | g/L | g/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 14 | 126 |
| | S3 | / | / | 14 | 8 | 194 |
| | S4 | / | / | 28 | 7 | 161 |
| | S5 | / | / | 8.4 | 30 | 120 |
| | S6 | / | / | 2.8 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 13 | 117 |
| | S3 | / | / | 2.1 | 34 | 102 |
| | S4 | / | / | 4.2 | 34 | 102 |
| | S5 | / | / | 8.4 | 25 | 100 |
| | S6 | / | / | 2.8 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 11 | 99 |
| | S3 | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | 8.4 | 25 | 100 |
| | S6 | / | / | 2.8 | / | / |
| BS-480 ¹² | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 3 | 14 | 126 |
| | S3 | / | / | 3 | 40 | 120 |
| | S4 | / | / | 6 | 40 | 120 |
| | S5 | / | / | 12 | 30 | 120 |
| | S6 | / | / | 4 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 11 | 99 |
| | S3 | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | 8.4 | 25 | 100 |
| | S6 | / | / | 2.8 | / | / |
| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | 2.1 | 25 | 75 |
| | S4 | / | / | 4.2 | 25 | 75 |
| | S5 | / | / | 8.4 | 25 | 100 |
| | S6 | / | / | 2.8 | / | / |
| BS-800 ¹⁵ (R1:R2 :S=200:100:3) | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 3 | 10 | 90 |
| | S3 | / | / | 3 | 30 | 90 |
| | S4 | / | / | 6 | 30 | 90 |
| | S5 | / | / | 12 | 25 | 100 |
| | S6 | / | / | 4 | / | / |
| BS-800 ¹⁵ (R1:R2 :S=140:70:2.1) | 0.9%NaCl | / | / | / | / | / |
| | S2 | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | 8.4 | 25 | 100 |
| | S6 | / | / | 2.8 | / | / |

| BS-1000M¹⁶ | 0.9%NaCl | 0.000 | / | / | / | / | / | |
|------------------------------|-----------------|------------------|--------|----------------------|--------|-----------------------------|-------------------|-------------------------------|
| | S2 | 0.290 | 0.015 | 2.1 | 10 | 90 | | |
| | S3 | 0.730 | 0.04 | 2.1 | 25 | 75 | | |
| | S4 | 1.40 | 0.07 | 4.2 | 25 | 75 | | |
| | S5 | 2.16 | 0.11 | 8.4 | 25 | 100 | | |
| | S6 | 3.68 | 0.18 | 2.8 | / | / | | |
| BS-2000¹⁷ | 0.9%NaCl | / | / | / | / | / | / | |
| | S2 | / | / | 2.1 | 10 | 90 | | |
| | S3 | / | / | 2.1 | 25 | 75 | | |
| | S4 | / | / | 4.2 | 25 | 75 | | |
| | S5 | / | / | 8.4 | 25 | 100 | | |
| | S6 | / | / | 2.8 | / | / | | |
| BS-2800M¹⁸ | 0.9%NaCl | / | / | / | / | / | / | |
| | S2 | / | / | 2.1 | 10 | 90 | | |
| | S3 | / | / | 2.1 | 25 | 75 | | |
| | S4 | / | / | 4.2 | 25 | 75 | | |
| | S5 | / | / | 8.4 | 25 | 100 | | |
| | S6 | / | / | 2.8 | / | / | | |
| Abbreviated name | | C4 | | Calibration Rule | | spline | | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-120¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 180 | 10 |
| | S3 | / | / | / | / | 35 | 195 | 10 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-200² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 180 | 10 |
| | S3 | / | / | / | / | 35 | 195 | 10 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-200E³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 135 | 3 |
| | S3 | / | / | / | / | 45 | 135 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-300⁶ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 180 | 10 |
| | S3 | / | / | / | / | 35 | 195 | 10 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-330E⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 135 | 3 |
| | S3 | / | / | / | / | 45 | 135 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-360E⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 34 | 102 | 3 |
| | S3 | / | / | / | / | 34 | 102 | 6 |
| | S4 | / | / | / | / | / | / | 3 |

| | S5 | / | / | / | / | / | / | 3.5 |
|-----------------------|----------|------------------|--------|----------------------|--------|-------------------------------|-----------------------------|-------------------|
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-380 ⁹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 40 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-400 ¹⁰ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 40 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 3.5 |
| | S6 | / | / | / | / | / | / | 6.5 |
| Abbreviated name | | C4 | | | | Calibration Rule | | spline |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 12 | 144 |
| | S3 | / | / | / | / | 8 | 28 | 156 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.4 | 34 | 102 |
| | S3 | / | / | / | / | 4.8 | 34 | 102 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 30 | 90 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 3.5 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-480 ¹² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 40 | 120 |
| | S3 | / | / | / | / | 6 | 40 | 120 |
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 3.5 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 30 | 90 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 3.5 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.4 | 25 | 75 |
| | S3 | / | / | / | / | 4.8 | 25 | 75 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 30 | 90 |

| BS-800¹⁵ (R1:R2:S=200:75:3) | S3 | / | / | / | / | 6 | 30 | 90 |
|---|-----------------|------------------|--------|----------------------|--------|-----------------------------|-------------------|-------------------------------|
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 3.5 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-800¹⁵ (R1:R2:S=160:60:2.4) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.4 | 30 | 90 |
| | S3 | / | / | / | / | 4.8 | 30 | 90 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| BS-1000M¹⁶ | 0.9%NaCl | 0.000 | 0.000 | / | / | / | / | / |
| | S2 | 0.120 | 0.600 | 0.006 | 0.03 | 2.4 | 25 | 75 |
| | S3 | 0.235 | 1.18 | 0.012 | 0.06 | 4.8 | 25 | 75 |
| | S4 | 0.439 | 2.20 | 0.022 | 0.11 | 2.4 | / | / |
| | S5 | 0.504 | 2.52 | 0.025 | 0.12 | 2.8 | / | / |
| | S6 | 0.940 | 4.70 | 0.05 | 0.23 | 5.2 | / | / |
| BS-2000¹⁷ (R1:R2:S=200:75:3) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 25 | 75 |
| | S3 | / | / | / | / | 6 | 25 | 75 |
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 3.5 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-2000¹⁷ (R1:R2:S=160:60:2.4) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.4 | 25 | 75 |
| | S3 | / | / | / | / | 4.8 | 25 | 75 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| BS-2800M¹⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.4 | 25 | 75 |
| | S3 | / | / | / | / | 4.8 | 25 | 75 |
| | S4 | / | / | / | / | 2.4 | / | / |
| | S5 | / | / | / | / | 2.8 | / | / |
| | S6 | / | / | / | / | 5.2 | / | / |
| Abbreviated name | | CRP II | | Calibration Rule | | Logit-Log(5P) | | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | mg/L | nmol/L | mg/L | nmol/L | | | |
| BS-120¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 20 | 180 | 8 |
| | S3 | / | / | / | / | 40 | 160 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| BS-200² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 20 | 180 | 8 |
| | S3 | / | / | / | / | 40 | 160 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| BS-200E³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 135 | 10.4 |
| | S3 | / | / | / | / | 30 | 120 | 20.8 |
| | S4 | / | / | / | / | / | / | 10.4 |
| | S5 | / | / | / | / | / | / | 18.2 |
| | S6 | / | / | / | / | / | / | 36.4 |

| BS-300 ⁶ | 0.9%NaCl | / | / | / | / | / | / | / |
|----------------------|----------|------------------|--------|----------------------|--------|-------------------------------|-----------------------------|-------------------|
| | S2 | / | / | / | / | 20 | 180 | 8 |
| | S3 | / | / | / | / | 45 | 180 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| BS-330E ⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 135 | 10.4 |
| | S3 | / | / | / | / | 35 | 140 | 20.8 |
| | S4 | / | / | / | / | / | / | 10.4 |
| | S5 | / | / | / | / | / | / | 18.2 |
| | S6 | / | / | / | / | / | / | 36.4 |
| BS-360E ⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 13 | 117 | 8 |
| | S3 | / | / | / | / | 30 | 120 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| BS-380 ⁹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 14 | 126 | 8 |
| | S3 | / | / | / | / | 30 | 120 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| BS-400 ¹⁰ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 14 | 126 | 8 |
| | S3 | / | / | / | / | 30 | 120 | 16 |
| | S4 | / | / | / | / | / | / | 8 |
| | S5 | / | / | / | / | / | / | 14 |
| | S6 | / | / | / | / | / | / | 28 |
| Abbreviated name | | CRP II | | Calibration Rule | | | Logit-Log(5P) | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | mg/L | nmol/L | mg/L | nmol/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 6.4 | 16 | 144 |
| | S3 | / | / | / | / | 12.8 | 25 | 100 |
| | S4 | / | / | / | / | 6.4 | / | / |
| | S5 | / | / | / | / | 11.2 | / | / |
| | S6 | / | / | / | / | 22.4 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 6.4 | 13 | 117 |
| | S3 | / | / | / | / | 12.8 | 25 | 100 |
| | S4 | / | / | / | / | 6.4 | / | / |
| | S5 | / | / | / | / | 11.2 | / | / |
| | S6 | / | / | / | / | 22.4 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 11 | 99 |
| | S3 | / | / | / | / | 16 | 25 | 100 |
| | S4 | / | / | / | / | 8 | / | / |
| | S5 | / | / | / | / | 14 | / | / |
| | S6 | / | / | / | / | 28 | / | / |
| BS-480 ¹² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 14 | 126 |
| | S3 | / | / | / | / | 16 | 30 | 120 |
| | S4 | / | / | / | / | 8 | / | / |

| | S5 | / | / | / | / | 14 | / | / |
|---|----------|------------------|--------|----------------------|--------|-----------------------------|-------------------|-------------------------------|
| | S6 | / | / | / | / | 28 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 11 | 99 |
| | S3 | / | / | / | / | 16 | 25 | 100 |
| | S4 | / | / | / | / | 8 | / | / |
| | S5 | / | / | / | / | 14 | / | / |
| | S6 | / | / | / | / | 28 | / | / |
| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 6.4 | 10 | 90 |
| | S3 | / | / | / | / | 12.8 | 25 | 100 |
| | S4 | / | / | / | / | 6.4 | / | / |
| | S5 | / | / | / | / | 11.2 | / | / |
| | S6 | / | / | / | / | 22.4 | / | / |
| BS-800 ¹⁵ (R1:R2:S=200:50:8) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 10 | 90 |
| | S3 | / | / | / | / | 16 | 25 | 100 |
| | S4 | / | / | / | / | 8 | / | / |
| | S5 | / | / | / | / | 14 | / | / |
| | S6 | / | / | / | / | 28 | / | / |
| BS-800 ¹⁵ (R1:R2:S=120:30:4.8) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 4.8 | 10 | 90 |
| | S3 | / | / | / | / | 9.6 | 25 | 100 |
| | S4 | / | / | / | / | 4.8 | / | / |
| | S5 | / | / | / | / | 8.4 | / | / |
| | S6 | / | / | / | / | 16.8 | / | / |
| BS-1000M ¹⁶ | 0.9%NaCl | 0.00 | 0.0 | / | / | / | / | / |
| | S2 | 9.90 | 94.2 | 0.7 | 6 | 4.8 | 10 | 90 |
| | S3 | 34.4 | 327 | 2.3 | 22 | 9.6 | 25 | 100 |
| | S4 | 88.2 | 840 | 6 | 56 | 4.8 | / | / |
| | S5 | 150 | 1428 | 10 | 96 | 8.4 | / | / |
| | S6 | 285 | 2713 | 19 | 182 | 16.8 | / | / |
| BS-2000 ¹⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 4.8 | 10 | 90 |
| | S3 | / | / | / | / | 9.6 | 25 | 100 |
| | S4 | / | / | / | / | 4.8 | / | / |
| | S5 | / | / | / | / | 8.4 | / | / |
| | S6 | / | / | / | / | 16.8 | / | / |
| Abbreviated name | | IgA II | | Calibration Rule | | Logit-Log(5P) | | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-200 ² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 20 | 180 | 3 |
| | S3 | / | / | / | / | 8 | 194 | 20 |
| | S4 | / | / | / | / | 10 | 230 | 40 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-200E ³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 135 | 3 |
| | S3 | / | / | / | / | 45 | 135 | 3 |
| | S4 | / | / | / | / | 45 | 135 | 6 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 15 | 135 | 3 |

| BS-330E ⁷ | S3 | / | / | / | / | 45 | 135 | 3 |
|----------------------|----------|------------------|--------|----------------------|--------|-------------------------------|-----------------------------|-------------------|
| | S4 | / | / | / | / | 45 | 135 | 6 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-360E ⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 13 | 117 | 3 |
| | S3 | / | / | / | / | 34 | 102 | 3 |
| | S4 | / | / | / | / | 34 | 102 | 6 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-380 ⁹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 14 | 126 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 3 |
| | S4 | / | / | / | / | 40 | 120 | 6 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-400 ¹⁰ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 14 | 126 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 3 |
| | S4 | / | / | / | / | 40 | 120 | 6 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 6.5 |
| Abbreviated name | | IgA II | | Calibration Rule | | | Logit-Log(5P) | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 13 | 117 |
| | S3 | / | / | / | / | 2.1 | 34 | 102 |
| | S4 | / | / | / | / | 4.2 | 34 | 102 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 13 | 117 |
| | S3 | / | / | / | / | 2.1 | 34 | 102 |
| | S4 | / | / | / | / | 4.2 | 34 | 102 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.6 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 11 | 99 |
| | S3 | / | / | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-480 ¹² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 14 | 126 |
| | S3 | / | / | / | / | 3 | 40 | 120 |
| | S4 | / | / | / | / | 6 | 40 | 120 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 11 | 99 |
| | S3 | / | / | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |

| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
|---|----------|------------------|--------|----------------------|--------|-----------------------------|-------------------|-------------------------------|
| | S2 | / | / | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | / | / | 2.1 | 25 | 75 |
| | S4 | / | / | / | / | 4.2 | 25 | 75 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-800 ¹⁵ (R1:R2:S=200:100:3) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 10 | 90 |
| | S3 | / | / | / | / | 3 | 30 | 90 |
| | S4 | / | / | / | / | 6 | 30 | 90 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-800 ¹⁵ (R1:R2:S=140:70:2.1) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | / | / | 2.1 | 30 | 90 |
| | S4 | / | / | / | / | 4.2 | 30 | 90 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-1000M ¹⁶ | 0.9%NaCl | 0.000 | 0.00 | / | / | / | / | / |
| | S2 | 0.470 | 2.94 | 0.018 | 0.11 | 2.1 | 10 | 90 |
| | S3 | 1.12 | 7.00 | 0.04 | 0.27 | 2.1 | 25 | 75 |
| | S4 | 2.15 | 13.4 | 0.08 | 0.5 | 4.2 | 25 | 75 |
| | S5 | 4.29 | 26.8 | 0.17 | 1.0 | 2.1 | / | / |
| | S6 | 8.75 | 54.7 | 0.3 | 2.1 | 4.5 | / | / |
| BS-2000 ¹⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | / | / | 2.1 | 25 | 75 |
| | S4 | / | / | / | / | 4.2 | 25 | 75 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-2800M ¹⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 10 | 90 |
| | S3 | / | / | / | / | 2.1 | 25 | 75 |
| | S4 | / | / | / | / | 4.2 | 25 | 75 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| Abbreviated name | | IgG | | Calibration Rule | | | Logit-Log(5P) | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-120 ¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 194 | 20 |
| | S3 | / | / | / | / | 10 | 230 | 40 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-200 ² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 194 | 20 |
| | S3 | / | / | / | / | 10 | 230 | 40 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-200E ³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 135 | 4.2 |
| | S3 | / | / | / | / | 45 | 135 | 8.4 |
| | S4 | / | / | / | / | / | / | 4.2 |

| | S5 | / | / | / | / | / | / | 6.8 |
|----------------------|----------|------------------|--------|----------------------|--------|-------------------------------|-----------------------------|-------------------|
| | S6 | / | / | / | / | / | / | 9.1 |
| BS-300 ⁶ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 8 | 194 | 20 |
| | S3 | / | / | / | / | 10 | 230 | 40 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-330E ⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 135 | 4.2 |
| | S3 | / | / | / | / | 45 | 135 | 8.4 |
| | S4 | / | / | / | / | / | / | 4.2 |
| | S5 | / | / | / | / | / | / | 6.8 |
| | S6 | / | / | / | / | / | / | 9.1 |
| BS-360E ⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 34 | 102 | 3 |
| | S3 | / | / | / | / | 34 | 102 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-380 ⁹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 40 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| BS-400 ¹⁰ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 40 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | / | / | 3 |
| | S5 | / | / | / | / | / | / | 4.8 |
| | S6 | / | / | / | / | / | / | 6.5 |
| Abbreviated name | | IgG | | Calibration Rule | | | Logit-Log(5P) | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 14 | 8 | 194 |
| | S3 | / | / | / | / | 28 | 7 | 161 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.6 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 34 | 102 |
| | S3 | / | / | / | / | 4.2 | 34 | 102 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 30 | 90 |
| | S3 | / | / | / | / | 4.2 | 30 | 90 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 40 | 120 |

| BS-480 ¹² | S3 | / | / | / | / | 6 | 40 | 120 |
|---|----------|------------------|--------|----------------------|--------|-----------------------------|-------------------|-------------------------------|
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 4.8 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 30 | 90 |
| | S3 | / | / | / | / | 4.2 | 30 | 90 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 75 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-800 ¹⁵ (R1:R2:S=200:100:3) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 30 | 90 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 3 | / | / |
| | S5 | / | / | / | / | 4.8 | / | / |
| | S6 | / | / | / | / | 6.5 | / | / |
| BS-800 ¹⁵ (R1:R2:S=140:70:2.1) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 30 | 90 |
| | S3 | / | / | / | / | 4.2 | 30 | 90 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-1000M ¹⁶ | 0.9%NaCl | 0.00 | 0.0 | / | / | / | / | / |
| | S2 | 4.73 | 31.5 | 0.16 | 1.0 | 2.1 | 25 | 75 |
| | S3 | 9.19 | 61.3 | 0.3 | 2.0 | 4.2 | 25 | 75 |
| | S4 | 17.5 | 117 | 0.6 | 4 | 2.1 | / | / |
| | S5 | 30.0 | 200 | 1.0 | 7 | 3.4 | / | / |
| | S6 | 40.7 | 271 | 1.3 | 9 | 4.5 | / | / |
| BS-2000 ¹⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 75 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| BS-2800M ¹⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 75 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 2.1 | / | / |
| | S5 | / | / | / | / | 3.4 | / | / |
| | S6 | / | / | / | / | 4.5 | / | / |
| Abbreviated name | | IgM | | Calibration Rule | | Logit-Log(5P) | | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Sample Vol For Dilution(μL) | Dilution Vol (μL) | Dilution Vol For Analysis(μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-120 ¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 180 | 3 |
| | S3 | / | / | / | / | 10 | 210 | 37 |
| | S4 | / | / | / | / | 45 | 180 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |

| BS-200 ² | 0.9%NaCl | / | / | / | / | / | / | / |
|----------------------|----------|------------------|--------|----------------------|--------|-------------------------------|-----------------------------|-------------------|
| | S2 | / | / | / | / | 45 | 180 | 3 |
| | S3 | / | / | / | / | 10 | 210 | 37 |
| | S4 | / | / | / | / | 45 | 180 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-200E ³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 35 | 140 | 3 |
| | S3 | / | / | / | / | 45 | 135 | 6 |
| | S4 | / | / | / | / | 35 | 140 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-300 ⁶ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 45 | 180 | 3 |
| | S3 | / | / | / | / | 10 | 210 | 37 |
| | S4 | / | / | / | / | 45 | 180 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-330E ⁷ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 35 | 140 | 3 |
| | S3 | / | / | / | / | 45 | 135 | 6 |
| | S4 | / | / | / | / | 35 | 140 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-360E ⁸ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 25 | 100 | 3 |
| | S3 | / | / | / | / | 34 | 102 | 6 |
| | S4 | / | / | / | / | 25 | 100 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-380 ⁹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 30 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | 30 | 120 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| BS-400 ¹⁰ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 30 | 120 | 3 |
| | S3 | / | / | / | / | 40 | 120 | 6 |
| | S4 | / | / | / | / | 30 | 120 | 12 |
| | S5 | / | / | / | / | / | / | 3 |
| | S6 | / | / | / | / | / | / | 18 |
| Abbreviated name | | IgM | | Calibration Rule | | | Logit-Log(5P) | |
| Model | Level | Calibrator Value | | Expanded Uncertainty | | Dilution Vol For Analysis(μL) | Sample Vol For Dilution(μL) | Dilution Vol (μL) |
| | | g/L | μmol/L | g/L | μmol/L | | | |
| BS-240 ⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 30 | 120 |
| | S3 | / | / | / | / | 25.9 | 7 | 147 |
| | S4 | / | / | / | / | 8.4 | 30 | 120 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| BS-240E ⁵ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 100 |
| | S3 | / | / | / | / | 4.2 | 34 | 102 |
| | S4 | / | / | / | / | 8.4 | 25 | 100 |

| | | | | | | | | |
|--|----------|-------|-------|-------|-------|------|----|-----|
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| BS-430 ¹¹ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 25 | 100 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 12 | 25 | 100 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 18 | / | / |
| BS-480 ¹² | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 30 | 120 |
| | S3 | / | / | / | / | 6 | 40 | 120 |
| | S4 | / | / | / | / | 12 | 30 | 120 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 18 | / | / |
| BS-600 ¹³ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 25 | 100 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 12 | 25 | 100 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 18 | / | / |
| BS-600M ¹⁴ | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 100 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 8.4 | 25 | 100 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| BS-800 ¹⁵ (R1:R2:S=200:50:3) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 25 | 100 |
| | S3 | / | / | / | / | 6 | 30 | 90 |
| | S4 | / | / | / | / | 12 | 25 | 100 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 18 | / | / |
| BS-800 ¹⁵ (R1:R2:S=140:35:2.1) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 100 |
| | S3 | / | / | / | / | 4.2 | 30 | 90 |
| | S4 | / | / | / | / | 8.4 | 25 | 100 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| BS-1000M ¹⁶ | 0.9%NaCl | 0.000 | 0.000 | / | / | / | / | / |
| | S2 | 0.310 | 0.319 | 0.015 | 0.015 | 2.1 | 25 | 100 |
| | S3 | 0.700 | 0.721 | 0.03 | 0.03 | 4.2 | 25 | 75 |
| | S4 | 1.05 | 1.08 | 0.05 | 0.05 | 8.4 | 25 | 100 |
| | S5 | 1.33 | 1.37 | 0.06 | 0.07 | 2.1 | / | / |
| | S6 | 5.25 | 5.41 | 0.25 | 0.26 | 12.6 | / | / |
| BS-2000 ¹⁷ (R1:R2:S=200:50:3) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 3 | 25 | 100 |
| | S3 | / | / | / | / | 6 | 25 | 75 |
| | S4 | / | / | / | / | 12 | 25 | 100 |
| | S5 | / | / | / | / | 3 | / | / |
| | S6 | / | / | / | / | 18 | / | / |
| BS-2000 ¹⁷ (R1:R2:S=140:35:2.1) | 0.9%NaCl | / | / | / | / | / | / | / |
| | S2 | / | / | / | / | 2.1 | 25 | 100 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 8.4 | 25 | 100 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| | 0.9%NaCl | / | / | / | / | / | / | / |

Specific Proteins Calibrator



| | | | | | | | | |
|------------------------------|-----------|---|---|---|---|------|----|-----|
| BS-2800M¹⁸ | S2 | / | / | / | / | 2.1 | 25 | 100 |
| | S3 | / | / | / | / | 4.2 | 25 | 75 |
| | S4 | / | / | / | / | 8.4 | 25 | 100 |
| | S5 | / | / | / | / | 2.1 | / | / |
| | S6 | / | / | / | / | 12.6 | / | / |
| | | | | | | | | |


mindray

Specific Proteins Calibrator

For use on: BS-2000

LOT 150723007

EXP 2024-12-11




mindray

Specific Proteins Calibrator

For use on: BS-1000M

LOT 150723007

EXP 2024-12-11




mindray

Specific Proteins Calibrator

For use on: BS-600M

LOT 150723007

2024-12-11




mindray

Specific Proteins Calibrator

For use on: BS-2800M

LOT 150723007

2024-12-11



mindray

Specific Proteins Calibrator

For use on: BS-800

LOT 150723007

EXP 2024-12-11

